



# BARGE "DBL 101"

## INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-1/4	00-1/4	- 00-5/8	00-5/8	- 00-7/8	00-7/8	- 01-1/8	01-1/8	- 01-3/8	01-3/8	- 01-3/4	01-3/4
2 CENTER	00-3/8	- 00-3/8	00-7/8	- 00-7/8	01-1/4	- 01-1/4	01-3/4	- 01-3/4	02-1/8	- 02-1/8	02-5/8	- 02-5/8
3 CENTER	00-1/4	- 00-1/4	00-4/8	- 00-4/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8	01-1/8	- 01-1/8	01-3/8	- 01-3/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 2 CENTER IS - 00-7/8"  
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 2 CENTER, THE TRIM CORRECTED INNAGE IS 3'-11 1/8"

LENGTH BETWEEN DRAFT MARKS: 166'-06"

April 5, 2019

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588

<http://www.pmacorp.net>





# BARGE "DBL 101"

# 1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "HBC 101"

BERGAN GAUGE

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,548.59	0	2,776.61	0	3,000.49	0	3,224.21	0	3,430.77	0		0		0		0		0	
1/4	2,553.95	1/4	2,781.27	1/4	3,005.15	1/4	3,228.86	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,559.30	1/2	2,785.94	1/2	3,009.82	1/2	3,233.52	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,564.65	3/4	2,790.60	3/4	3,014.48	3/4	3,238.17	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	2,570.00	1	2,795.26	1	3,019.15	1	3,242.82	1		1		1		1		1		1	
1/4	2,575.01	1/4	2,799.93	1/4	3,023.81	1/4	3,247.48	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,580.02	1/2	2,804.59	1/2	3,028.47	1/2	3,252.13	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,585.03	3/4	2,809.26	3/4	3,033.14	3/4	3,256.78	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2,590.04	2	2,813.92	2	3,037.80	2	3,261.44	2		2		2		2		2		2	
1/4	2,594.70	1/4	2,818.58	1/4	3,042.47	1/4	3,266.09	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,599.37	1/2	2,823.25	1/2	3,047.13	1/2	3,270.74	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,604.03	3/4	2,827.91	3/4	3,051.79	3/4	3,275.39	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	2,608.70	3	2,832.58	3	3,056.46	3	3,280.05	3		3		3		3		3		3	
1/4	2,613.36	1/4	2,837.24	1/4	3,061.12	1/4	3,284.70	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,618.02	1/2	2,841.91	1/2	3,065.79	1/2	3,289.35	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,622.69	3/4	2,846.57	3/4	3,070.45	3/4	3,294.01	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	2,627.35	4	2,851.23	4	3,075.12	4	3,298.66	4		4		4		4		4		4	
1/4	2,632.02	1/4	2,855.90	1/4	3,079.78	1/4	3,303.32	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,636.68	1/2	2,860.56	1/2	3,084.44	1/2	3,307.98	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,641.34	3/4	2,865.23	3/4	3,089.11	3/4	3,312.64	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	2,646.01	5	2,869.89	5	3,093.77	5	3,317.30	5		5		5		5		5		5	
1/4	2,650.67	1/4	2,874.55	1/4	3,098.44	1/4	3,321.96	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,655.34	1/2	2,879.22	1/2	3,103.10	1/2	3,326.63	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,660.00	3/4	2,883.88	3/4	3,107.76	3/4	3,331.29	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	2,664.67	6	2,888.55	6	3,112.43	6	3,335.96	6		6		6		6		6		6	
1/4	2,669.33	1/4	2,893.21	1/4	3,117.09	1/4	3,340.62	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,673.99	1/2	2,897.88	1/2	3,121.76	1/2	3,345.29	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,678.66	3/4	2,902.54	3/4	3,126.42	3/4	3,349.96	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	2,683.32	7	2,907.20	7	3,131.09	7	3,354.62	7		7		7		7		7		7	
1/4	2,687.99	1/4	2,911.87	1/4	3,135.75	1/4	3,359.29	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,692.65	1/2	2,916.53	1/2	3,140.41	1/2	3,363.95	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,697.32	3/4	2,921.20	3/4	3,145.08	3/4	3,368.62	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	2,701.98	8	2,925.86	8	3,149.74	8	3,373.29	8		8		8		8		8		8	
1/4	2,706.64	1/4	2,930.53	1/4	3,154.40	1/4	3,377.95	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,711.31	1/2	2,935.19	1/2	3,159.06	1/2	3,382.62	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,715.97	3/4	2,939.85	3/4	3,163.72	3/4	3,387.28	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	2,720.64	9	2,944.52	9	3,168.38	9	3,391.95	9		9		9		9		9		9	
1/4	2,725.30	1/4	2,949.18	1/4	3,173.03	1/4	3,396.61	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,729.96	1/2	2,953.85	1/2	3,177.68	1/2	3,401.28	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,734.63	3/4	2,958.51	3/4	3,182.34	3/4	3,405.95	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	2,739.29	10	2,963.17	10	3,186.99	10	3,410.61	10		10		10		10		10		10	
1/4	2,743.96	1/4	2,967.84	1/4	3,191.64	1/4	3,414.20	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,748.62	1/2	2,972.50	1/2	3,196.29	1/2	3,417.80	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,753.29	3/4	2,977.17	3/4	3,200.95	3/4	3,421.39	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	2,757.95	11	2,981.83	11	3,205.60	11	3,424.99	11		11		11		11		11		11	
1/4	2,762.61	1/4	2,986.50	1/4	3,210.25	1/4	3,426.43	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,767.28	1/2	2,991.16	1/2	3,214.91	1/2	3,427.88	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,771.94	3/4	2,995.82	3/4	3,219.56	3/4	3,429.32	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 05/10/2011 CL - SW  
RECALCULATED: 04/04/19  
REPRINTED: 04/05/19

CANCELS AND SUPERCEDES  
ALL PRIOR TO 04/2019

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>







# BARGE "DBL 101"

## 2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "HBC 101"

BERGAN GAUGE

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,853.70	0	3,141.46	0	3,429.21	0	3,716.96	0	3,985.51	0		0		0		0		0	
1/4	2,859.70	1/4	3,147.45	1/4	3,435.20	1/4	3,722.95	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,865.69	1/2	3,153.44	1/2	3,441.20	1/2	3,728.95	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,871.69	3/4	3,159.44	3/4	3,447.19	3/4	3,734.94	3/4		3/4		3/4		3/4		3/4		3/4	
1	2,877.68	1	3,165.43	1	3,453.18	1	3,740.94	1		1		1		1		1		1	
1/4	2,883.68	1/4	3,171.43	1/4	3,459.18	1/4	3,746.93	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,889.67	1/2	3,177.42	1/2	3,465.17	1/2	3,752.92	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,895.67	3/4	3,183.42	3/4	3,471.17	3/4	3,758.92	3/4		3/4		3/4		3/4		3/4		3/4	
2	2,901.66	2	3,189.41	2	3,477.16	2	3,764.91	2		2		2		2		2		2	
1/4	2,907.66	1/4	3,195.41	1/4	3,483.16	1/4	3,770.91	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,913.65	1/2	3,201.40	1/2	3,489.15	1/2	3,776.90	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,919.65	3/4	3,207.40	3/4	3,495.15	3/4	3,782.90	3/4		3/4		3/4		3/4		3/4		3/4	
3	2,925.64	3	3,213.39	3	3,501.14	3	3,788.89	3		3		3		3		3		3	
1/4	2,931.64	1/4	3,219.39	1/4	3,507.14	1/4	3,794.89	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,937.63	1/2	3,225.38	1/2	3,513.13	1/2	3,800.88	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,943.63	3/4	3,231.38	3/4	3,519.13	3/4	3,806.88	3/4		3/4		3/4		3/4		3/4		3/4	
4	2,949.62	4	3,237.37	4	3,525.12	4	3,812.87	4		4		4		4		4		4	
1/4	2,955.62	1/4	3,243.37	1/4	3,531.12	1/4	3,818.87	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,961.61	1/2	3,249.36	1/2	3,537.11	1/2	3,824.86	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,967.61	3/4	3,255.36	3/4	3,543.11	3/4	3,830.86	3/4		3/4		3/4		3/4		3/4		3/4	
5	2,973.60	5	3,261.35	5	3,549.10	5	3,836.85	5		5		5		5		5		5	
1/4	2,979.60	1/4	3,267.35	1/4	3,555.10	1/4	3,842.85	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,985.59	1/2	3,273.34	1/2	3,561.09	1/2	3,848.84	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,991.59	3/4	3,279.34	3/4	3,567.09	3/4	3,854.84	3/4		3/4		3/4		3/4		3/4		3/4	
6	2,997.58	6	3,285.33	6	3,573.08	6	3,860.83	6		6		6		6		6		6	
1/4	3,003.57	1/4	3,291.33	1/4	3,579.08	1/4	3,866.83	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,009.57	1/2	3,297.32	1/2	3,585.07	1/2	3,872.82	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,015.56	3/4	3,303.31	3/4	3,591.07	3/4	3,878.82	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,021.56	7	3,309.31	7	3,597.06	7	3,884.81	7		7		7		7		7		7	
1/4	3,027.55	1/4	3,315.30	1/4	3,603.05	1/4	3,890.81	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,033.55	1/2	3,321.30	1/2	3,609.05	1/2	3,896.80	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,039.54	3/4	3,327.29	3/4	3,615.04	3/4	3,902.79	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,045.54	8	3,333.29	8	3,621.04	8	3,908.79	8		8		8		8		8		8	
1/4	3,051.53	1/4	3,339.28	1/4	3,627.03	1/4	3,914.78	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,057.53	1/2	3,345.28	1/2	3,633.03	1/2	3,920.78	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,063.52	3/4	3,351.27	3/4	3,639.02	3/4	3,926.77	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,069.52	9	3,357.27	9	3,645.02	9	3,932.77	9		9		9		9		9		9	
1/4	3,075.51	1/4	3,363.26	1/4	3,651.01	1/4	3,938.76	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,081.51	1/2	3,369.26	1/2	3,657.01	1/2	3,944.76	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,087.50	3/4	3,375.25	3/4	3,663.00	3/4	3,950.75	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,093.50	10	3,381.25	10	3,669.00	10	3,956.75	10		10		10		10		10		10	
1/4	3,099.49	1/4	3,387.24	1/4	3,674.99	1/4	3,961.54	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,105.49	1/2	3,393.24	1/2	3,680.99	1/2	3,966.33	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,111.48	3/4	3,399.23	3/4	3,686.98	3/4	3,971.12	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,117.48	11	3,405.23	11	3,692.98	11	3,975.91	11		11		11		11		11		11	
1/4	3,123.47	1/4	3,411.22	1/4	3,698.97	1/4	3,978.31	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,129.47	1/2	3,417.22	1/2	3,704.97	1/2	3,980.71	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,135.46	3/4	3,423.21	3/4	3,710.96	3/4	3,983.11	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 05/10/2011 CL - SW  
RECALCULATED: 04/04/19  
REPRINTED: 04/05/19

CANCELS AND SUPERCEDES  
ALL PRIOR TO 04/2019

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>





# BARGE "DBL 101"

## 3 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

FORMERLY "HBC 101"

BERGAN GAUGE

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,525.24	0	2,779.27	0	3,033.30	0	3,287.33	0	3,524.44	0		0		0		0		0	
1/4	2,530.53	1/4	2,784.56	1/4	3,038.59	1/4	3,292.62	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,535.83	1/2	2,789.86	1/2	3,043.89	1/2	3,297.92	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,541.12	3/4	2,795.15	3/4	3,049.18	3/4	3,303.21	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
1	2,546.41	1	2,800.44	1	3,054.47	1	3,308.50	1		1		1		1		1		1	
1/4	2,551.70	1/4	2,805.73	1/4	3,059.76	1/4	3,313.79	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,556.99	1/2	2,811.02	1/2	3,065.06	1/2	3,319.09	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,562.29	3/4	2,816.32	3/4	3,070.35	3/4	3,324.38	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
2	2,567.58	2	2,821.61	2	3,075.64	2	3,329.67	2		2		2		2		2		2	
1/4	2,572.87	1/4	2,826.90	1/4	3,080.93	1/4	3,334.96	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,578.16	1/2	2,832.19	1/2	3,086.22	1/2	3,340.25	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,583.46	3/4	2,837.49	3/4	3,091.52	3/4	3,345.55	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
3	2,588.75	3	2,842.78	3	3,096.81	3	3,350.84	3		3		3		3		3		3	
1/4	2,594.04	1/4	2,848.07	1/4	3,102.10	1/4	3,356.13	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,599.33	1/2	2,853.36	1/2	3,107.39	1/2	3,361.42	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,604.63	3/4	2,858.66	3/4	3,112.69	3/4	3,366.72	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
4	2,609.92	4	2,863.95	4	3,117.98	4	3,372.01	4		4		4		4		4		4	
1/4	2,615.21	1/4	2,869.24	1/4	3,123.27	1/4	3,377.30	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,620.50	1/2	2,874.53	1/2	3,128.56	1/2	3,382.59	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,625.79	3/4	2,879.82	3/4	3,133.86	3/4	3,387.89	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
5	2,631.09	5	2,885.12	5	3,139.15	5	3,393.18	5		5		5		5		5		5	
1/4	2,636.38	1/4	2,890.41	1/4	3,144.44	1/4	3,398.47	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,641.67	1/2	2,895.70	1/2	3,149.73	1/2	3,403.76	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,646.96	3/4	2,900.99	3/4	3,155.02	3/4	3,409.05	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
6	2,652.26	6	2,906.29	6	3,160.32	6	3,414.35	6		6		6		6		6		6	
1/4	2,657.55	1/4	2,911.58	1/4	3,165.61	1/4	3,419.64	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,662.84	1/2	2,916.87	1/2	3,170.90	1/2	3,424.93	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,668.13	3/4	2,922.16	3/4	3,176.19	3/4	3,430.22	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
7	2,673.43	7	2,927.46	7	3,181.49	7	3,435.52	7		7		7		7		7		7	
1/4	2,678.72	1/4	2,932.75	1/4	3,186.78	1/4	3,440.81	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,684.01	1/2	2,938.04	1/2	3,192.07	1/2	3,446.10	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,689.30	3/4	2,943.33	3/4	3,197.36	3/4	3,451.39	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
8	2,694.59	8	2,948.62	8	3,202.66	8	3,456.69	8		8		8		8		8		8	
1/4	2,699.89	1/4	2,953.92	1/4	3,207.95	1/4	3,461.98	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,705.18	1/2	2,959.21	1/2	3,213.24	1/2	3,467.27	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,710.47	3/4	2,964.50	3/4	3,218.53	3/4	3,472.56	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
9	2,715.76	9	2,969.79	9	3,223.82	9	3,477.85	9		9		9		9		9		9	
1/4	2,721.06	1/4	2,975.09	1/4	3,229.12	1/4	3,483.15	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,726.35	1/2	2,980.38	1/2	3,234.41	1/2	3,488.44	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,731.64	3/4	2,985.67	3/4	3,239.70	3/4	3,493.73	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
10	2,736.93	10	2,990.96	10	3,244.99	10	3,499.02	10		10		10		10		10		10	
1/4	2,742.23	1/4	2,996.26	1/4	3,250.29	1/4	3,503.26	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,747.52	1/2	3,001.55	1/2	3,255.58	1/2	3,507.50	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,752.81	3/4	3,006.84	3/4	3,260.87	3/4	3,511.73	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4
11	2,758.10	11	3,012.13	11	3,266.16	11	3,515.97	11		11		11		11		11		11	
1/4	2,763.39	1/4	3,017.42	1/4	3,271.46	1/4	3,518.09	1/4		1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4	1/4
1/2	2,768.69	1/2	3,022.72	1/2	3,276.75	1/2	3,520.20	1/2		1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2	1/2
3/4	2,773.98	3/4	3,028.01	3/4	3,282.04	3/4	3,522.32	3/4		3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4	3/4

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 05/10/2011 CL - SW  
RECALCULATED: 04/04/19  
REPRINTED: 04/05/19

CANCELS AND SUPERCEDES  
ALL PRIOR TO 04/2019

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>

