



## BARGE: DBL 134

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/4	- 01-1/4	01-1/2	- 01-1/2
2 CENTER	- 00-0/8	00-0/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/4
3 CENTER	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-5/8	- 00-5/8	00-3/4	- 00-3/4	01-0/8	- 01-0/8	01-1/8	- 01-1/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

LENGTH BETWEEN DRAFT MARKS: 163'-09"

June 21, 2019

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS - 00-1/2"  
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED INNAGE IS 3'-11 1/2"





# BARGE "DBL 134"

## 1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-07 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,436.64	0	2,663.42	0	2,873.97	0	3,084.52	0	3,295.08	0		0		0		0		0	
1/4	2,440.87	1/4	2,667.81	1/4	2,878.36	1/4	3,088.91	1/4	3,299.46	1/4		1/4		1/4		1/4		1/4	
1/2	2,445.81	1/2	2,672.19	1/2	2,882.75	1/2	3,093.30	1/2	3,303.85	1/2		1/2		1/2		1/2		1/2	
3/4	2,450.95	3/4	2,676.58	3/4	2,887.13	3/4	3,097.68	3/4	3,308.24	3/4		3/4		3/4		3/4		3/4	
1	2,456.08	1	2,680.97	1	2,891.52	1	3,102.07	1	3,312.62	1		1		1		1		1	
1 1/4	2,461.22	1 1/4	2,685.35	1 1/4	2,895.91	1 1/4	3,106.46	1 1/4	3,317.01	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,466.36	1 1/2	2,689.74	1 1/2	2,900.29	1 1/2	3,110.84	1 1/2	3,321.40	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,471.49	3/4	2,694.13	3/4	2,904.68	3/4	3,115.23	3/4	3,325.78	3/4		3/4		3/4		3/4		3/4	
2	2,476.63	2	2,698.51	2	2,909.06	2	3,119.62	2	3,330.17	2		2		2		2		2	
1 1/4	2,481.77	1 1/4	2,702.90	1 1/4	2,913.45	1 1/4	3,124.00	1 1/4	3,334.56	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,486.90	1 1/2	2,707.29	1 1/2	2,917.84	1 1/2	3,128.39	1 1/2	3,338.95	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,492.04	3/4	2,711.67	3/4	2,922.22	3/4	3,132.78	3/4	3,343.34	3/4		3/4		3/4		3/4		3/4	
3	2,497.18	3	2,716.06	3	2,926.61	3	3,137.16	3	3,347.73	3		3		3		3		3	
1 1/4	2,502.31	1 1/4	2,720.45	1 1/4	2,931.00	1 1/4	3,141.55	1 1/4	3,352.10	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,507.45	1 1/2	2,724.83	1 1/2	2,935.38	1 1/2	3,145.94	1 1/2	3,356.47	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,512.59	3/4	2,729.22	3/4	2,939.77	3/4	3,150.32	3/4	3,360.85	3/4		3/4		3/4		3/4		3/4	
4	2,517.72	4	2,733.60	4	2,944.16	4	3,154.71	4	3,365.22	4		4		4		4		4	
1 1/4	2,522.84	1 1/4	2,737.99	1 1/4	2,948.54	1 1/4	3,159.10	1 1/4	3,369.56	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,527.97	1 1/2	2,742.38	1 1/2	2,952.93	1 1/2	3,163.48	1 1/2	3,373.90	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,533.09	3/4	2,746.76	3/4	2,957.32	3/4	3,167.87	3/4	3,378.25	3/4		3/4		3/4		3/4		3/4	
5	2,538.21	5	2,751.15	5	2,961.70	5	3,172.26	5	3,382.59	5		5		5		5		5	
1 1/4	2,543.33	1 1/4	2,755.54	1 1/4	2,966.09	1 1/4	3,176.64	1 1/4	3,386.88	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,548.45	1 1/2	2,759.92	1 1/2	2,970.48	1 1/2	3,181.03	1 1/2	3,391.18	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,553.57	3/4	2,764.31	3/4	2,974.86	3/4	3,185.41	3/4	3,395.47	3/4		3/4		3/4		3/4		3/4	
6	2,558.69	6	2,768.70	6	2,979.25	6	3,189.80	6	3,399.77	6		6		6		6		6	
1 1/4	2,563.81	1 1/4	2,773.08	1 1/4	2,983.64	1 1/4	3,194.19	1 1/4	3,404.06	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,568.93	1 1/2	2,777.47	1 1/2	2,988.02	1 1/2	3,198.57	1 1/2	3,408.35	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,574.05	3/4	2,781.86	3/4	2,992.41	3/4	3,202.96	3/4	3,412.64	3/4		3/4		3/4		3/4		3/4	
7	2,579.17	7	2,786.24	7	2,996.79	7	3,207.35	7	3,416.93	7		7		7		7		7	
1 1/4	2,584.29	1 1/4	2,790.63	1 1/4	3,001.18	1 1/4	3,211.73	1 1/4	3,421.22	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,589.41	1 1/2	2,795.02	1 1/2	3,005.57	1 1/2	3,216.12	1 1/2	3,425.51	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,594.53	3/4	2,799.40	3/4	3,009.95	3/4	3,220.51	3/4	3,429.80	3/4		3/4		3/4		3/4		3/4	
8	2,599.65	8	2,803.79	8	3,014.34	8	3,224.89	8	3,434.09	8		8		8		8		8	
1 1/4	2,604.77	1 1/4	2,808.18	1 1/4	3,018.73	1 1/4	3,229.28	1 1/4	3,438.38	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,609.89	1 1/2	2,812.56	1 1/2	3,023.11	1 1/2	3,233.67	1 1/2	3,442.67	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,615.01	3/4	2,816.95	3/4	3,027.50	3/4	3,238.05	3/4	3,446.96	3/4		3/4		3/4		3/4		3/4	
9	2,620.13	9	2,821.33	9	3,031.89	9	3,242.44	9	3,451.25	9		9		9		9		9	
1 1/4	2,625.25	1 1/4	2,825.72	1 1/4	3,036.27	1 1/4	3,246.83	1 1/4	3,455.54	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,630.37	1 1/2	2,830.11	1 1/2	3,040.66	1 1/2	3,251.21	1 1/2	3,459.83	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,635.49	3/4	2,834.49	3/4	3,045.05	3/4	3,255.60	3/4	3,464.12	3/4		3/4		3/4		3/4		3/4	
10	2,640.61	10	2,838.88	10	3,049.43	10	3,259.99	10	3,468.41	10		10		10		10		10	
1 1/4	2,645.73	1 1/4	2,843.27	1 1/4	3,053.82	1 1/4	3,264.37	1 1/4	3,472.70	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,650.85	1 1/2	2,847.65	1 1/2	3,058.21	1 1/2	3,268.76	1 1/2	3,477.00	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,655.97	3/4	2,852.04	3/4	3,062.59	3/4	3,273.14	3/4	3,481.29	3/4		3/4		3/4		3/4		3/4	
11	2,661.09	11	2,856.43	11	3,066.98	11	3,277.53	11	3,485.58	11		11		11		11		11	
1 1/4	2,666.21	1 1/4	2,860.81	1 1/4	3,071.37	1 1/4	3,281.92	1 1/4	3,489.87	1 1/4		1 1/4		1 1/4		1 1/4		1 1/4	
1 1/2	2,671.33	1 1/2	2,865.20	1 1/2	3,075.75	1 1/2	3,286.30	1 1/2	3,494.16	1 1/2		1 1/2		1 1/2		1 1/2		1 1/2	
3/4	2,676.45	3/4	2,869.59	3/4	3,080.14	3/4	3,290.69	3/4	3,498.45	3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/21/2019 JS  
CALCULATED: 06/21/2019 CL  
PRINTED: 06/21/2019 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 06/2019

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pasadena, Texas 77801  
http://www.pmacorp.net





# BARGE "DBL 134"

## 2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-08 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,701.64	0	2,975.87	0	3,250.10	0	3,524.34	0	3,798.57	0	0	0	0	0	0	0	0	0	0
1/4	2,707.35	1/4	2,981.58	1/4	3,255.82	1/4	3,530.05	1/4	3,804.29	1/4									
1/2	2,713.06	1/2	2,987.30	1/2	3,261.53	1/2	3,535.76	1/2	3,810.00	1/2									
3/4	2,718.78	3/4	2,993.01	3/4	3,267.24	3/4	3,541.48	3/4	3,815.71	3/4									
1	2,724.49	1	2,998.72	1	3,272.96	1	3,547.19	1	3,821.42	1									
1 1/4	2,730.20	1 1/4	3,004.44	1 1/4	3,278.67	1 1/4	3,552.90	1 1/4	3,827.14	1 1/4									
1 1/2	2,735.92	1 1/2	3,010.15	1 1/2	3,284.38	1 1/2	3,558.62	1 1/2	3,832.85	1 1/2									
3/4	2,741.63	3/4	3,015.86	3/4	3,290.10	3/4	3,564.33	3/4	3,838.56	3/4									
2	2,747.34	2	3,021.58	2	3,295.81	2	3,570.04	2	3,844.28	2									
2 1/4	2,753.06	2 1/4	3,027.29	2 1/4	3,301.52	2 1/4	3,575.76	2 1/4	3,849.99	2 1/4									
2 1/2	2,758.77	2 1/2	3,033.00	2 1/2	3,307.24	2 1/2	3,581.47	2 1/2	3,855.70	2 1/2									
3 1/4	2,764.48	3 1/4	3,038.72	3 1/4	3,312.95	3 1/4	3,587.18	3 1/4	3,861.41	3 1/4									
3	2,770.20	3	3,044.43	3	3,318.66	3	3,592.90	3	3,867.12	3									
3 1/4	2,775.91	3 1/4	3,050.14	3 1/4	3,324.38	3 1/4	3,598.61	3 1/4	3,872.82	3 1/4									
3 1/2	2,781.62	3 1/2	3,055.86	3 1/2	3,330.09	3 1/2	3,604.32	3 1/2	3,878.52	3 1/2									
4	2,787.34	4	3,061.57	4	3,335.80	4	3,610.04	4	3,884.22	4									
4 1/4	2,793.05	4 1/4	3,067.28	4 1/4	3,341.52	4 1/4	3,615.75	4 1/4	3,889.92	4 1/4									
4 1/2	2,798.76	4 1/2	3,073.00	4 1/2	3,347.23	4 1/2	3,621.46	4 1/2	3,895.58	4 1/2									
5	2,804.48	5	3,078.71	5	3,352.94	5	3,627.18	5	3,901.24	5									
5 1/4	2,810.19	5 1/4	3,084.42	5 1/4	3,358.66	5 1/4	3,632.89	5 1/4	3,906.91	5 1/4									
5 1/2	2,815.90	5 1/2	3,090.14	5 1/2	3,364.37	5 1/2	3,638.60	5 1/2	3,912.57	5 1/2									
6	2,821.61	6	3,095.85	6	3,370.08	6	3,644.32	6	3,917.33	6									
6 1/4	2,827.33	6 1/4	3,101.56	6 1/4	3,375.80	6 1/4	3,650.03	6 1/4	3,922.09	6 1/4									
6 1/2	2,833.04	6 1/2	3,107.27	6 1/2	3,381.51	6 1/2	3,655.74	6 1/2	3,926.85	6 1/2									
7	2,838.75	7	3,112.99	7	3,387.22	7	3,661.46	7	3,931.60	7									
7 1/4	2,844.47	7 1/4	3,118.70	7 1/4	3,392.93	7 1/4	3,667.17	7 1/4	3,936.36	7 1/4									
7 1/2	2,850.18	7 1/2	3,124.41	7 1/2	3,398.65	7 1/2	3,672.88	7 1/2	3,941.12	7 1/2									
8	2,855.89	8	3,130.13	8	3,404.36	8	3,678.59	8	3,946.17	8									
8 1/4	2,861.61	8 1/4	3,135.84	8 1/4	3,410.07	8 1/4	3,684.31	8 1/4	3,951.03	8 1/4									
8 1/2	2,867.32	8 1/2	3,141.55	8 1/2	3,415.79	8 1/2	3,690.02	8 1/2	3,955.98	8 1/2									
9	2,873.03	9	3,147.27	9	3,421.50	9	3,695.73	9	3,960.93	9									
9 1/4	2,878.75	9 1/4	3,152.98	9 1/4	3,427.21	9 1/4	3,701.45	9 1/4	3,965.88	9 1/4									
9 1/2	2,884.46	9 1/2	3,158.69	9 1/2	3,432.93	9 1/2	3,707.16	9 1/2	3,970.83	9 1/2									
10	2,890.17	10	3,164.41	10	3,438.64	10	3,712.87	10		10									
10 1/4	2,895.89	10 1/4	3,170.12	10 1/4	3,444.35	10 1/4	3,718.59	10 1/4		10 1/4									
10 1/2	2,901.60	10 1/2	3,175.83	10 1/2	3,450.07	10 1/2	3,724.30	10 1/2		10 1/2									
11	2,907.31	11	3,181.55	11	3,455.78	11	3,730.01	11		11									
11 1/4	2,913.03	11 1/4	3,187.26	11 1/4	3,461.49	11 1/4	3,735.73	11 1/4		11 1/4									
11 1/2	2,918.74	11 1/2	3,192.97	11 1/2	3,467.21	11 1/2	3,741.44	11 1/2		11 1/2									
12	2,924.45	12	3,198.69	12	3,472.92	12	3,747.15	12		12									
12 1/4	2,930.17	12 1/4	3,204.40	12 1/4	3,478.63	12 1/4	3,752.87	12 1/4		12 1/4									
12 1/2	2,935.88	12 1/2	3,210.11	12 1/2	3,484.35	12 1/2	3,758.58	12 1/2		12 1/2									
13	2,941.59	13	3,215.83	13	3,490.06	13	3,764.29	13		13									
13 1/4	2,947.31	13 1/4	3,221.54	13 1/4	3,495.77	13 1/4	3,770.01	13 1/4		13 1/4									
13 1/2	2,953.02	13 1/2	3,227.25	13 1/2	3,501.49	13 1/2	3,775.72	13 1/2		13 1/2									
14	2,958.73	14	3,232.97	14	3,507.20	14	3,781.43	14		14									
14 1/4	2,964.44	14 1/4	3,238.68	14 1/4	3,512.91	14 1/4	3,787.15	14 1/4		14 1/4									
14 1/2	2,970.16	14 1/2	3,244.39	14 1/2	3,518.63	14 1/2	3,792.86	14 1/2		14 1/2									

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 06/21/2019 JS  
CALCULATED: 06/21/2019 CL  
PRINTED: 06/21/2019 CL

CANCELS AND SUPERCEDES  
ALL PRIOR TO 06/2019

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
http://www.pmacorp.net





# BARGE "DBL 134"

## 3 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-08 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	2,423.00	0	2,668.37	0	2,913.75	0	3,159.12	0	3,404.49	0		0		0		0		0	
1/4	2,428.11	1/4	2,673.49	1/4	2,918.86	1/4	3,164.23	1/4	3,409.60	1/4		1/4		1/4		1/4		1/4	
1/2	2,433.23	1/2	2,678.60	1/2	2,923.97	1/2	3,169.34	1/2	3,414.71	1/2		1/2		1/2		1/2		1/2	
3/4	2,438.34	3/4	2,683.71	3/4	2,929.08	3/4	3,174.45	3/4	3,419.82	3/4		3/4		3/4		3/4		3/4	
1	2,443.45	1	2,688.82	1	2,934.19	1	3,179.56	1	3,424.94	1		1		1		1		1	
1/4	2,448.56	1/4	2,693.93	1/4	2,939.30	1/4	3,184.68	1/4	3,430.05	1/4		1/4		1/4		1/4		1/4	
1/2	2,453.67	1/2	2,699.05	1/2	2,944.42	1/2	3,189.79	1/2	3,435.16	1/2		1/2		1/2		1/2		1/2	
3/4	2,458.79	3/4	2,704.16	3/4	2,949.53	3/4	3,194.90	3/4	3,440.27	3/4		3/4		3/4		3/4		3/4	
2	2,463.90	2	2,709.27	2	2,954.64	2	3,200.01	2	3,445.38	2		2		2		2		2	
1/4	2,469.01	1/4	2,714.38	1/4	2,959.75	1/4	3,205.12	1/4	3,450.49	1/4		1/4		1/4		1/4		1/4	
1/2	2,474.12	1/2	2,719.49	1/2	2,964.86	1/2	3,210.24	1/2	3,455.60	1/2		1/2		1/2		1/2		1/2	
3/4	2,479.23	3/4	2,724.60	3/4	2,969.98	3/4	3,215.35	3/4	3,460.72	3/4		3/4		3/4		3/4		3/4	
3	2,484.35	3	2,729.72	3	2,975.09	3	3,220.46	3	3,465.83	3		3		3		3		3	
1/4	2,489.46	1/4	2,734.83	1/4	2,980.20	1/4	3,225.57	1/4	3,470.93	1/4		1/4		1/4		1/4		1/4	
1/2	2,494.57	1/2	2,739.94	1/2	2,985.31	1/2	3,230.68	1/2	3,476.02	1/2		1/2		1/2		1/2		1/2	
3/4	2,499.68	3/4	2,745.05	3/4	2,990.42	3/4	3,235.79	3/4	3,481.12	3/4		3/4		3/4		3/4		3/4	
4	2,504.79	4	2,750.16	4	2,995.54	4	3,240.91	4	3,486.22	4		4		4		4		4	
1/4	2,509.91	1/4	2,755.28	1/4	3,000.65	1/4	3,246.02	1/4	3,491.29	1/4		1/4		1/4		1/4		1/4	
1/2	2,515.02	1/2	2,760.39	1/2	3,005.76	1/2	3,251.13	1/2	3,496.36	1/2		1/2		1/2		1/2		1/2	
3/4	2,520.13	3/4	2,765.50	3/4	3,010.87	3/4	3,256.24	3/4	3,501.43	3/4		3/4		3/4		3/4		3/4	
5	2,525.24	5	2,770.61	5	3,015.98	5	3,261.35	5	3,506.49	5		5		5		5		5	
1/4	2,530.35	1/4	2,775.72	1/4	3,021.10	1/4	3,266.47	1/4	3,510.76	1/4		1/4		1/4		1/4		1/4	
1/2	2,535.46	1/2	2,780.84	1/2	3,026.21	1/2	3,271.58	1/2	3,515.01	1/2		1/2		1/2		1/2		1/2	
3/4	2,540.58	3/4	2,785.95	3/4	3,031.32	3/4	3,276.69	3/4	3,519.27	3/4		3/4		3/4		3/4		3/4	
6	2,545.69	6	2,791.06	6	3,036.43	6	3,281.80	6	3,523.52	6		6		6		6		6	
1/4	2,550.80	1/4	2,796.17	1/4	3,041.54	1/4	3,286.91	1/4	3,526.08	1/4		1/4		1/4		1/4		1/4	
1/2	2,555.91	1/2	2,801.28	1/2	3,046.65	1/2	3,292.03	1/2	3,528.63	1/2		1/2		1/2		1/2		1/2	
3/4	2,561.02	3/4	2,806.40	3/4	3,051.77	3/4	3,297.14	3/4	3,531.19	3/4		3/4		3/4		3/4		3/4	
7	2,566.14	7	2,811.51	7	3,056.88	7	3,302.25	7	3,533.74	7		7		7		7		7	
1/4	2,571.25	1/4	2,816.62	1/4	3,061.99	1/4	3,307.36	1/4	3,534.89	1/4		1/4		1/4		1/4		1/4	
1/2	2,576.36	1/2	2,821.73	1/2	3,067.10	1/2	3,312.47	1/2	3,535.44	1/2		1/2		1/2		1/2		1/2	
3/4	2,581.47	3/4	2,826.84	3/4	3,072.21	3/4	3,317.59	3/4	3,536.30	3/4		3/4		3/4		3/4		3/4	
8	2,586.58	8	2,831.95	8	3,077.33	8	3,322.70	8	3,537.15	8		8		8		8		8	
1/4	2,591.70	1/4	2,837.07	1/4	3,082.44	1/4	3,327.81	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,596.81	1/2	2,842.18	1/2	3,087.55	1/2	3,332.92	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,601.92	3/4	2,847.29	3/4	3,092.66	3/4	3,338.03	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,607.03	9	2,852.40	9	3,097.77	9	3,343.14	9		9		9		9		9		9	
1/4	2,612.14	1/4	2,857.51	1/4	3,102.89	1/4	3,348.26	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,617.25	1/2	2,862.63	1/2	3,108.00	1/2	3,353.37	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,622.37	3/4	2,867.74	3/4	3,113.11	3/4	3,358.48	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,627.48	10	2,872.85	10	3,118.22	10	3,363.59	10		10		10		10		10		10	
1/4	2,632.59	1/4	2,877.96	1/4	3,123.33	1/4	3,368.70	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,637.70	1/2	2,883.07	1/2	3,128.44	1/2	3,373.82	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,642.81	3/4	2,888.19	3/4	3,133.56	3/4	3,378.93	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,647.93	11	2,893.30	11	3,138.67	11	3,384.04	11		11		11		11		11		11	
1/4	2,653.04	1/4	2,898.41	1/4	3,143.78	1/4	3,389.15	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,658.15	1/2	2,903.52	1/2	3,148.89	1/2	3,394.26	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,663.26	3/4	2,908.63	3/4	3,154.00	3/4	3,399.38	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 06/21/2019 JS  
CALCULATED: 08/21/2019 CL  
PRINTED: 06/21/2019 CL

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

CANCELS AND SUPERCEDES  
ALL PRIOR TO 06/2019

PRECISION MEASUREMENT  
& ANALYSIS, INC.  
P.O. Box 2092  
Pearland, Texas 77588  
<http://www.pmacorp.net>