



BARGE "DBL 251"

ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8	- 00-3/4	00-3/4
2 PORT	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8
2 STBD	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4	00-7/8	- 00-7/8
3 PORT	00-3/8	- 00-3/8	00-3/4	- 00-3/4	01-1/8	- 01-1/8	01-3/8	- 01-3/8	01-3/4	- 01-3/4	02-1/8	- 02-1/8
3 STBD	00-3/8	- 00-3/8	00-3/4	- 00-3/4	01-1/8	- 01-1/8	01-3/8	- 01-3/8	01-3/4	- 01-3/4	02-1/8	- 02-1/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 6'-00"
 DIFF. = 4'-00" (DOWN BY STERN)

THE CORRECTION FOR 4'-00" TRIM DOWN BY STERN FOR 2 PORT IS - 00-5/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 2 PORT, THE TRIM CORRECTED ULLAGE IS 3'-11 3/8"

LENGTH BETWEEN DRAFT MARKS: 165'-00"

June 1, 2017

PRECISION MEASUREMENT
 & ANALYSIS, INC.
 P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "DBL 251"

1 CENTER ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 12'-07 1/4"

Table with columns for gauge height (0 FT. to 12 FT.) and corresponding capacity values in barrels. Each row represents a specific gauge height and its capacity at that level.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7. CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL. CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK. CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP OF MMC VALVE. GAUGE POINT: (MMC) LOCATED 2'-08" OFF CENTERLINE AND 25'-00" FORWARD OF AFT BULKHEAD.

STRAPPED: 06/01/2017 SW CALCULATED: 06/02/2017 CL PRINTED: 06/04/2017 JS

CANCELS AND SUPERCEDES ALL PRIOR TO 06/2017

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT & ANALYSIS, INC.

P.O. Box 2092 Pearland, Texas 77588 http://www.pmacorp.net





BARGE "DBL 251"

2 PORT
ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 12'-06 1/2"

Table with columns for height (IN) and capacity (0 FT. to 12 FT.) for various gauge heights (0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12).

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7. CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL. CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK. CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP OF MMC VALVE. GAUGE POINT: (MMC) LOCATED 2'-08" OFF CENTERLINE AND 32'-00" FORWARD OF AFT BULKHEAD.

STRAPPED: 06/01/2017 SW
CALCULATED: 06/02/2017 CL
PRINTED: 06/04/2017 JS

CANCELS AND SUPERCEDES ALL PRIOR TO 06/2017

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT & ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net





BARGE "DBL 251"

3 PORT ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 12'-06 3/4"

Table with columns for height (0 FT. to 12 FT.) and capacity values. Includes rows for 0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, and 12 feet.

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7. CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL. CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK. CAPACITY TABLE ONLY APPLIES TO ULLAGE GAUGES TAKEN TO TOP OF MMC VALVE. GAUGE POINT: (MMC) LOCATED 2'-08" OFF CENTERLINE AND 31'-06" FORWARD OF AFT BULKHEAD.

STRAPPED: 06/01/2017 SW
CALCULATED: 06/02/2017 CL
PRINTED: 06/04/2017 JS
CANCELS AND SUPERCEDES ALL PRIOR TO 06/2017

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT & ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
http://www.pmacorp.net



