



BARGE "DBL 317"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8
1 STBD	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8
2 PORT	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/4
2 STBD	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/4
3 PORT	- 00-5/8	00-5/8	- 01-1/8	01-1/8	- 01-3/4	01-3/4	- 02-1/4	02-1/4	- 02-7/8	02-7/8	- 03-1/2	03-1/2
3 STBD	- 00-5/8	00-5/8	- 01-1/8	01-1/8	- 01-3/4	01-3/4	- 02-1/4	02-1/4	- 02-7/8	02-7/8	- 03-1/2	03-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS -00-1/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 2 PORT, THE TRIM CORRECTED INNAGE IS 3'-11 7/8"

LENGTH BETWEEN DRAFT MARKS: 252'-00"

November 26, 2019

**PRECISION MEASUREMENT
& ANALYSIS, INC.**

P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>





BARGE "DBL 317"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-08 1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,623.21	0	3,986.34	0	4,348.79	0	4,697.78	0	5,028.44	0		0		0		0		0	
1/4	3,630.78	1/4	3,993.91	1/4	4,356.23	1/4	4,704.84	1/4	5,035.86	1/4		1/4		1/4		1/4		1/4	
1/2	3,638.34	1/2	4,001.48	1/2	4,363.68	1/2	4,711.91	1/2	5,043.27	1/2		1/2		1/2		1/2		1/2	
3/4	3,645.91	3/4	4,009.04	3/4	4,371.12	3/4	4,718.97	3/4	5,050.68	3/4		3/4		3/4		3/4		3/4	
1	3,653.47	1	4,016.61	1	4,378.56	1	4,726.04	1	5,058.10	1		1		1		1		1	
1/4	3,661.04	1/4	4,024.17	1/4	4,385.98	1/4	4,733.04	1/4	5,065.57	1/4		1/4		1/4		1/4		1/4	
1/2	3,668.60	1/2	4,031.74	1/2	4,393.39	1/2	4,740.05	1/2	5,073.03	1/2		1/2		1/2		1/2		1/2	
3/4	3,676.17	3/4	4,039.30	3/4	4,400.81	3/4	4,747.05	3/4	5,080.50	3/4		3/4		3/4		3/4		3/4	
2	3,683.73	2	4,046.87	2	4,408.22	2	4,754.05	2	5,087.97	2		2		2		2		2	
1/4	3,691.30	1/4	4,054.43	1/4	4,415.61	1/4	4,761.02	1/4	5,095.43	1/4		1/4		1/4		1/4		1/4	
1/2	3,698.86	1/2	4,062.00	1/2	4,422.99	1/2	4,768.00	1/2	5,102.90	1/2		1/2		1/2		1/2		1/2	
3/4	3,706.43	3/4	4,069.56	3/4	4,430.38	3/4	4,774.97	3/4	5,110.37	3/4		3/4		3/4		3/4		3/4	
3	3,713.99	3	4,077.13	3	4,437.76	3	4,781.94	3	5,117.83	3		3		3		3		3	
1/4	3,721.56	1/4	4,084.69	1/4	4,445.11	1/4	4,788.88	1/4	5,125.30	1/4		1/4		1/4		1/4		1/4	
1/2	3,729.12	1/2	4,092.26	1/2	4,452.46	1/2	4,795.82	1/2	5,132.77	1/2		1/2		1/2		1/2		1/2	
3/4	3,736.69	3/4	4,099.82	3/4	4,459.81	3/4	4,802.76	3/4	5,140.23	3/4		3/4		3/4		3/4		3/4	
4	3,744.25	4	4,107.39	4	4,467.16	4	4,809.70	4	5,147.70	4		4		4		4		4	
1/4	3,751.82	1/4	4,114.95	1/4	4,474.48	1/4	4,816.60	1/4	5,155.17	1/4		1/4		1/4		1/4		1/4	
1/2	3,759.39	1/2	4,122.52	1/2	4,481.80	1/2	4,823.51	1/2	5,162.64	1/2		1/2		1/2		1/2		1/2	
3/4	3,766.95	3/4	4,130.09	3/4	4,489.12	3/4	4,830.42	3/4	5,170.10	3/4		3/4		3/4		3/4		3/4	
5	3,774.52	5	4,137.65	5	4,496.43	5	4,837.32	5	5,177.57	5		5		5		5		5	
1/4	3,782.08	1/4	4,145.22	1/4	4,503.72	1/4	4,844.20	1/4	5,184.90	1/4		1/4		1/4		1/4		1/4	
1/2	3,789.65	1/2	4,152.78	1/2	4,511.00	1/2	4,851.07	1/2	5,192.23	1/2		1/2		1/2		1/2		1/2	
3/4	3,797.21	3/4	4,160.35	3/4	4,518.29	3/4	4,857.94	3/4	5,199.56	3/4		3/4		3/4		3/4		3/4	
6	3,804.78	6	4,167.91	6	4,525.58	6	4,864.81	6	5,206.89	6		6		6		6		6	
1/4	3,812.34	1/4	4,175.48	1/4	4,532.83	1/4	4,871.66	1/4	5,213.23	1/4		1/4		1/4		1/4		1/4	
1/2	3,819.91	1/2	4,183.04	1/2	4,540.09	1/2	4,878.50	1/2	5,219.57	1/2		1/2		1/2		1/2		1/2	
3/4	3,827.47	3/4	4,190.61	3/4	4,547.35	3/4	4,885.34	3/4	5,225.92	3/4		3/4		3/4		3/4		3/4	
7	3,835.04	7	4,198.17	7	4,554.60	7	4,892.18	7	5,232.26	7		7		7		7		7	
1/4	3,842.60	1/4	4,205.74	1/4	4,561.82	1/4	4,898.99	1/4	5,237.39	1/4		1/4		1/4		1/4		1/4	
1/2	3,850.17	1/2	4,213.30	1/2	4,569.05	1/2	4,905.81	1/2	5,242.51	1/2		1/2		1/2		1/2		1/2	
3/4	3,857.73	3/4	4,220.87	3/4	4,576.27	3/4	4,912.62	3/4	5,247.64	3/4		3/4		3/4		3/4		3/4	
8	3,865.30	8	4,228.43	8	4,583.49	8	4,919.43	8	5,252.77	8		8		8		8		8	
1/4	3,872.87	1/4	4,236.00	1/4	4,590.68	1/4	4,926.21	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,880.43	1/2	4,243.56	1/2	4,597.87	1/2	4,932.99	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,888.00	3/4	4,251.12	3/4	4,605.06	3/4	4,939.77	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,895.56	9	4,258.68	9	4,612.25	9	4,946.56	9		9		9		9		9		9	
1/4	3,903.13	1/4	4,266.22	1/4	4,619.41	1/4	4,953.31	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,910.69	1/2	4,273.76	1/2	4,626.56	1/2	4,960.06	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,918.26	3/4	4,281.30	3/4	4,633.72	3/4	4,966.81	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,925.82	10	4,288.85	10	4,640.88	10	4,973.56	10		10		10		10		10		10	
1/4	3,933.39	1/4	4,296.36	1/4	4,648.01	1/4	4,980.27	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,940.95	1/2	4,303.87	1/2	4,655.13	1/2	4,986.99	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,948.52	3/4	4,311.38	3/4	4,662.26	3/4	4,993.71	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,956.08	11	4,318.88	11	4,669.39	11	5,000.42	11		11		11		11		11		11	
1/4	3,963.65	1/4	4,326.36	1/4	4,676.49	1/4	5,007.43	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,971.21	1/2	4,333.84	1/2	4,683.59	1/2	5,014.43	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,978.78	3/4	4,341.31	3/4	4,690.68	3/4	5,021.44	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/26/2019 JS
CALCULATED: 11/27/2019 CL
PRINTED: 11/29/2019 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2019



BARGE "DBL 317"

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-08"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,622.71	0	3,986.00	0	4,348.61	0	4,697.76	0	5,028.56	0		0		0		0		0	
1/4	3,630.28	1/4	3,993.57	1/4	4,356.06	1/4	4,704.83	1/4	5,035.98	1/4		1/4		1/4		1/4		1/4	
1/2	3,637.85	1/2	4,001.14	1/2	4,363.51	1/2	4,711.89	1/2	5,043.39	1/2		1/2		1/2		1/2		1/2	
3/4	3,645.42	3/4	4,008.71	3/4	4,370.96	3/4	4,718.96	3/4	5,050.81	3/4		3/4		3/4		3/4		3/4	
1	3,652.99	1	4,016.28	1	4,378.41	1	4,726.03	1	5,058.23	1		1		1		1		1	
1/4	3,660.55	1/4	4,023.85	1/4	4,385.82	1/4	4,733.03	1/4	5,065.70	1/4		1/4		1/4		1/4		1/4	
1/2	3,668.12	1/2	4,031.42	1/2	4,393.24	1/2	4,740.04	1/2	5,073.17	1/2		1/2		1/2		1/2		1/2	
3/4	3,675.69	3/4	4,038.98	3/4	4,400.66	3/4	4,747.05	3/4	5,080.64	3/4		3/4		3/4		3/4		3/4	
2	3,683.26	2	4,046.55	2	4,408.08	2	4,754.06	2	5,088.11	2		2		2		2		2	
1/4	3,690.83	1/4	4,054.12	1/4	4,415.46	1/4	4,761.03	1/4	5,095.58	1/4		1/4		1/4		1/4		1/4	
1/2	3,698.40	1/2	4,061.69	1/2	4,422.85	1/2	4,768.00	1/2	5,103.05	1/2		1/2		1/2		1/2		1/2	
3/4	3,705.97	3/4	4,069.26	3/4	4,430.24	3/4	4,774.98	3/4	5,110.52	3/4		3/4		3/4		3/4		3/4	
3	3,713.53	3	4,076.83	3	4,437.63	3	4,781.95	3	5,117.99	3		3		3		3		3	
1/4	3,721.10	1/4	4,084.40	1/4	4,444.98	1/4	4,788.89	1/4	5,125.46	1/4		1/4		1/4		1/4		1/4	
1/2	3,728.67	1/2	4,091.96	1/2	4,452.34	1/2	4,795.84	1/2	5,132.93	1/2		1/2		1/2		1/2		1/2	
3/4	3,736.24	3/4	4,099.53	3/4	4,459.69	3/4	4,802.78	3/4	5,140.40	3/4		3/4		3/4		3/4		3/4	
4	3,743.81	4	4,107.10	4	4,467.04	4	4,809.72	4	5,147.87	4		4		4		4		4	
1/4	3,751.38	1/4	4,114.67	1/4	4,474.36	1/4	4,816.63	1/4	5,155.34	1/4		1/4		1/4		1/4		1/4	
1/2	3,758.95	1/2	4,122.24	1/2	4,481.68	1/2	4,823.54	1/2	5,162.81	1/2		1/2		1/2		1/2		1/2	
3/4	3,766.52	3/4	4,129.81	3/4	4,489.00	3/4	4,830.45	3/4	5,170.28	3/4		3/4		3/4		3/4		3/4	
5	3,774.08	5	4,137.38	5	4,496.32	5	4,837.36	5	5,177.75	5		5		5		5		5	
1/4	3,781.65	1/4	4,144.95	1/4	4,503.61	1/4	4,844.24	1/4	5,185.08	1/4		1/4		1/4		1/4		1/4	
1/2	3,789.22	1/2	4,152.51	1/2	4,510.90	1/2	4,851.11	1/2	5,192.41	1/2		1/2		1/2		1/2		1/2	
3/4	3,796.79	3/4	4,160.08	3/4	4,518.19	3/4	4,857.99	3/4	5,199.74	3/4		3/4		3/4		3/4		3/4	
6	3,804.36	6	4,167.65	6	4,525.48	6	4,864.86	6	5,207.07	6		6		6		6		6	
1/4	3,811.93	1/4	4,175.22	1/4	4,532.74	1/4	4,871.71	1/4	5,213.42	1/4		1/4		1/4		1/4		1/4	
1/2	3,819.50	1/2	4,182.79	1/2	4,540.00	1/2	4,878.55	1/2	5,219.77	1/2		1/2		1/2		1/2		1/2	
3/4	3,827.06	3/4	4,190.36	3/4	4,547.26	3/4	4,885.40	3/4	5,226.11	3/4		3/4		3/4		3/4		3/4	
7	3,834.63	7	4,197.93	7	4,554.52	7	4,892.24	7	5,232.46	7		7		7		7		7	
1/4	3,842.20	1/4	4,205.49	1/4	4,561.74	1/4	4,899.06	1/4	5,237.59	1/4		1/4		1/4		1/4		1/4	
1/2	3,849.77	1/2	4,213.06	1/2	4,568.97	1/2	4,905.87	1/2	5,242.71	1/2		1/2		1/2		1/2		1/2	
3/4	3,857.34	3/4	4,220.63	3/4	4,576.20	3/4	4,912.69	3/4	5,247.84	3/4		3/4		3/4		3/4		3/4	
8	3,864.91	8	4,228.20	8	4,583.42	8	4,919.50	8	5,252.97	8		8		8		8		8	
1/4	3,872.48	1/4	4,235.77	1/4	4,590.61	1/4	4,926.29	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,880.04	1/2	4,243.33	1/2	4,597.81	1/2	4,933.07	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,887.61	3/4	4,250.90	3/4	4,605.00	3/4	4,939.86	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,895.18	9	4,258.47	9	4,612.19	9	4,946.64	9		9		9		9		9		9	
1/4	3,902.75	1/4	4,266.01	1/4	4,619.35	1/4	4,953.39	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,910.32	1/2	4,273.56	1/2	4,626.51	1/2	4,960.15	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,917.89	3/4	4,281.10	3/4	4,633.67	3/4	4,966.90	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,925.46	10	4,288.65	10	4,640.83	10	4,973.65	10		10		10		10		10		10	
1/4	3,933.02	1/4	4,296.16	1/4	4,647.96	1/4	4,980.37	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,940.59	1/2	4,303.67	1/2	4,655.09	1/2	4,987.09	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,948.16	3/4	4,311.19	3/4	4,662.23	3/4	4,993.81	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,955.73	11	4,318.70	11	4,669.36	11	5,000.53	11		11		11		11		11		11	
1/4	3,963.30	1/4	4,326.18	1/4	4,676.46	1/4	5,007.54	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,970.87	1/2	4,333.66	1/2	4,683.56	1/2	5,014.54	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,978.44	3/4	4,341.14	3/4	4,690.66	3/4	5,021.55	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/26/2019 JS
CALCULATED: 11/27/2019 CL
PRINTED: 11/29/2019 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>



CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2019



BARGE "DBL 317"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-09"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,609.30	0	3,971.05	0	4,332.08	0	4,679.73	0	5,009.11	0		0		0		0		0	
1/4	3,616.84	1/4	3,978.59	1/4	4,339.49	1/4	4,686.76	1/4	5,016.49	1/4		1/4		1/4		1/4		1/4	
1/2	3,624.38	1/2	3,986.12	1/2	4,346.91	1/2	4,693.80	1/2	5,023.88	1/2		1/2		1/2		1/2		1/2	
3/4	3,631.91	3/4	3,993.66	3/4	4,354.32	3/4	4,700.84	3/4	5,031.26	3/4		3/4		3/4		3/4		3/4	
1	3,639.45	1	4,001.20	1	4,361.74	1	4,707.87	1	5,038.65	1		1		1		1		1	
1/4	3,646.99	1/4	4,008.73	1/4	4,369.13	1/4	4,714.85	1/4	5,046.09	1/4		1/4		1/4		1/4		1/4	
1/2	3,654.52	1/2	4,016.27	1/2	4,376.51	1/2	4,721.83	1/2	5,053.52	1/2		1/2		1/2		1/2		1/2	
3/4	3,662.06	3/4	4,023.81	3/4	4,383.90	3/4	4,728.81	3/4	5,060.96	3/4		3/4		3/4		3/4		3/4	
2	3,669.60	2	4,031.34	2	4,391.28	2	4,735.78	2	5,068.40	2		2		2		2		2	
1/4	3,677.13	1/4	4,038.88	1/4	4,398.64	1/4	4,742.73	1/4	5,075.84	1/4		1/4		1/4		1/4		1/4	
1/2	3,684.67	1/2	4,046.42	1/2	4,406.00	1/2	4,749.67	1/2	5,083.28	1/2		1/2		1/2		1/2		1/2	
3/4	3,692.20	3/4	4,053.95	3/4	4,413.35	3/4	4,756.61	3/4	5,090.71	3/4		3/4		3/4		3/4		3/4	
3	3,699.74	3	4,061.49	3	4,420.71	3	4,763.56	3	5,098.15	3		3		3		3		3	
1/4	3,707.28	1/4	4,069.02	1/4	4,428.03	1/4	4,770.47	1/4	5,105.59	1/4		1/4		1/4		1/4		1/4	
1/2	3,714.81	1/2	4,076.56	1/2	4,435.35	1/2	4,777.38	1/2	5,113.03	1/2		1/2		1/2		1/2		1/2	
3/4	3,722.35	3/4	4,084.10	3/4	4,442.68	3/4	4,784.30	3/4	5,120.47	3/4		3/4		3/4		3/4		3/4	
4	3,729.89	4	4,091.63	4	4,450.00	4	4,791.21	4	5,127.90	4		4		4		4		4	
1/4	3,737.42	1/4	4,099.17	1/4	4,457.29	1/4	4,798.09	1/4	5,135.34	1/4		1/4		1/4		1/4		1/4	
1/2	3,744.96	1/2	4,106.71	1/2	4,464.58	1/2	4,804.97	1/2	5,142.78	1/2		1/2		1/2		1/2		1/2	
3/4	3,752.50	3/4	4,114.24	3/4	4,471.87	3/4	4,811.85	3/4	5,150.22	3/4		3/4		3/4		3/4		3/4	
5	3,760.03	5	4,121.78	5	4,479.15	5	4,818.73	5	5,157.66	5		5		5		5		5	
1/4	3,767.57	1/4	4,129.32	1/4	4,486.41	1/4	4,825.58	1/4	5,164.96	1/4		1/4		1/4		1/4		1/4	
1/2	3,775.11	1/2	4,136.85	1/2	4,493.67	1/2	4,832.42	1/2	5,172.26	1/2		1/2		1/2		1/2		1/2	
3/4	3,782.64	3/4	4,144.39	3/4	4,500.93	3/4	4,839.27	3/4	5,179.56	3/4		3/4		3/4		3/4		3/4	
6	3,790.18	6	4,151.93	6	4,508.19	6	4,846.12	6	5,186.86	6		6		6		6		6	
1/4	3,797.71	1/4	4,159.46	1/4	4,515.41	1/4	4,852.93	1/4	5,193.18	1/4		1/4		1/4		1/4		1/4	
1/2	3,805.25	1/2	4,167.00	1/2	4,522.64	1/2	4,859.75	1/2	5,199.50	1/2		1/2		1/2		1/2		1/2	
3/4	3,812.79	3/4	4,174.53	3/4	4,529.87	3/4	4,866.56	3/4	5,205.82	3/4		3/4		3/4		3/4		3/4	
7	3,820.32	7	4,182.07	7	4,537.10	7	4,873.38	7	5,212.13	7		7		7		7		7	
1/4	3,827.86	1/4	4,189.61	1/4	4,544.29	1/4	4,880.16	1/4	5,217.24	1/4		1/4		1/4		1/4		1/4	
1/2	3,835.40	1/2	4,197.14	1/2	4,551.49	1/2	4,886.95	1/2	5,222.35	1/2		1/2		1/2		1/2		1/2	
3/4	3,842.93	3/4	4,204.68	3/4	4,558.68	3/4	4,893.73	3/4	5,227.45	3/4		3/4		3/4		3/4		3/4	
8	3,850.47	8	4,212.22	8	4,565.88	8	4,900.52	8	5,232.56	8		8		8		8		8	
1/4	3,858.01	1/4	4,219.74	1/4	4,573.04	1/4	4,907.27	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,865.54	1/2	4,227.27	1/2	4,580.20	1/2	4,914.03	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,873.08	3/4	4,234.79	3/4	4,587.36	3/4	4,920.78	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,880.61	9	4,242.32	9	4,594.52	9	4,927.54	9		9		9		9		9		9	
1/4	3,888.15	1/4	4,249.83	1/4	4,601.65	1/4	4,934.26	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,895.69	1/2	4,257.34	1/2	4,608.78	1/2	4,940.99	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,903.22	3/4	4,264.85	3/4	4,615.91	3/4	4,947.71	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,910.76	10	4,272.37	10	4,623.04	10	4,954.44	10		10		10		10		10		10	
1/4	3,918.30	1/4	4,279.85	1/4	4,630.14	1/4	4,961.13	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,925.83	1/2	4,287.33	1/2	4,637.24	1/2	4,967.82	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,933.37	3/4	4,294.81	3/4	4,644.35	3/4	4,974.51	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,940.91	11	4,302.29	11	4,651.45	11	4,981.20	11		11		11		11		11		11	
1/4	3,948.44	1/4	4,309.74	1/4	4,658.52	1/4	4,988.17	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,955.98	1/2	4,317.18	1/2	4,665.59	1/2	4,995.15	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,963.52	3/4	4,324.63	3/4	4,672.66	3/4	5,002.13	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/26/2019 JS
CALCULATED: 11/27/2019 CL
PRINTED: 11/29/2019 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
Pearland, Texas 77588

<http://www.pmacorp.net>



CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2019



BARGE "DBL 317"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-08 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,593.29	0	3,955.19	0	4,316.40	0	4,664.21	0	4,993.75	0		0		0		0		0	
1/4	3,600.82	1/4	3,962.73	1/4	4,323.82	1/4	4,671.25	1/4	5,001.13	1/4		1/4		1/4		1/4		1/4	
1/2	3,608.36	1/2	3,970.27	1/2	4,331.24	1/2	4,678.29	1/2	5,008.52	1/2		1/2		1/2		1/2		1/2	
3/4	3,615.90	3/4	3,977.80	3/4	4,338.66	3/4	4,685.33	3/4	5,015.91	3/4		3/4		3/4		3/4		3/4	
1	3,623.44	1	3,985.34	1	4,346.08	1	4,692.37	1	5,023.30	1		1		1		1		1	
1/4	3,630.98	1/4	3,992.88	1/4	4,353.46	1/4	4,699.35	1/4	5,030.74	1/4		1/4		1/4		1/4		1/4	
1/2	3,638.52	1/2	4,000.42	1/2	4,360.85	1/2	4,706.33	1/2	5,038.18	1/2		1/2		1/2		1/2		1/2	
3/4	3,646.06	3/4	4,007.96	3/4	4,368.24	3/4	4,713.31	3/4	5,045.63	3/4		3/4		3/4		3/4		3/4	
2	3,653.60	2	4,015.50	2	4,375.63	2	4,720.29	2	5,053.07	2		2		2		2		2	
1/4	3,661.14	1/4	4,023.04	1/4	4,382.99	1/4	4,727.24	1/4	5,060.51	1/4		1/4		1/4		1/4		1/4	
1/2	3,668.68	1/2	4,030.58	1/2	4,390.35	1/2	4,734.18	1/2	5,067.95	1/2		1/2		1/2		1/2		1/2	
3/4	3,676.22	3/4	4,038.12	3/4	4,397.71	3/4	4,741.13	3/4	5,075.39	3/4		3/4		3/4		3/4		3/4	
3	3,683.76	3	4,045.66	3	4,405.07	3	4,748.08	3	5,082.83	3		3		3		3		3	
1/4	3,691.30	1/4	4,053.20	1/4	4,412.40	1/4	4,754.99	1/4	5,090.27	1/4		1/4		1/4		1/4		1/4	
1/2	3,698.84	1/2	4,060.74	1/2	4,419.72	1/2	4,761.91	1/2	5,097.71	1/2		1/2		1/2		1/2		1/2	
3/4	3,706.38	3/4	4,068.28	3/4	4,427.05	3/4	4,768.83	3/4	5,105.16	3/4		3/4		3/4		3/4		3/4	
4	3,713.92	4	4,075.82	4	4,434.37	4	4,775.74	4	5,112.60	4		4		4		4		4	
1/4	3,721.46	1/4	4,083.36	1/4	4,441.67	1/4	4,782.63	1/4	5,120.04	1/4		1/4		1/4		1/4		1/4	
1/2	3,729.00	1/2	4,090.90	1/2	4,448.96	1/2	4,789.51	1/2	5,127.48	1/2		1/2		1/2		1/2		1/2	
3/4	3,736.54	3/4	4,098.44	3/4	4,456.25	3/4	4,796.39	3/4	5,134.92	3/4		3/4		3/4		3/4		3/4	
5	3,744.08	5	4,105.98	5	4,463.54	5	4,803.28	5	5,142.36	5		5		5		5		5	
1/4	3,751.62	1/4	4,113.52	1/4	4,470.80	1/4	4,810.13	1/4	5,149.67	1/4		1/4		1/4		1/4		1/4	
1/2	3,759.16	1/2	4,121.06	1/2	4,478.07	1/2	4,816.98	1/2	5,156.97	1/2		1/2		1/2		1/2		1/2	
3/4	3,766.70	3/4	4,128.60	3/4	4,485.33	3/4	4,823.83	3/4	5,164.27	3/4		3/4		3/4		3/4		3/4	
6	3,774.24	6	4,136.14	6	4,492.59	6	4,830.67	6	5,171.58	6		6		6		6		6	
1/4	3,781.78	1/4	4,143.68	1/4	4,499.82	1/4	4,837.49	1/4	5,177.90	1/4		1/4		1/4		1/4		1/4	
1/2	3,789.31	1/2	4,151.22	1/2	4,507.05	1/2	4,844.31	1/2	5,184.22	1/2		1/2		1/2		1/2		1/2	
3/4	3,796.85	3/4	4,158.76	3/4	4,514.28	3/4	4,851.13	3/4	5,190.54	3/4		3/4		3/4		3/4		3/4	
7	3,804.39	7	4,166.29	7	4,521.51	7	4,857.95	7	5,196.86	7		7		7		7		7	
1/4	3,811.93	1/4	4,173.83	1/4	4,528.71	1/4	4,864.74	1/4	5,201.97	1/4		1/4		1/4		1/4		1/4	
1/2	3,819.47	1/2	4,181.37	1/2	4,535.91	1/2	4,871.53	1/2	5,207.08	1/2		1/2		1/2		1/2		1/2	
3/4	3,827.01	3/4	4,188.91	3/4	4,543.11	3/4	4,878.32	3/4	5,212.19	3/4		3/4		3/4		3/4		3/4	
8	3,834.55	8	4,196.45	8	4,550.31	8	4,885.10	8	5,217.30	8		8		8		8		8	
1/4	3,842.09	1/4	4,203.99	1/4	4,557.47	1/4	4,891.86	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,849.63	1/2	4,211.53	1/2	4,564.64	1/2	4,898.62	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,857.17	3/4	4,219.06	3/4	4,571.80	3/4	4,905.38	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,864.71	9	4,226.60	9	4,578.96	9	4,912.14	9		9		9		9		9		9	
1/4	3,872.25	1/4	4,234.11	1/4	4,586.10	1/4	4,918.87	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,879.79	1/2	4,241.63	1/2	4,593.23	1/2	4,925.59	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,887.33	3/4	4,249.15	3/4	4,600.37	3/4	4,932.32	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,894.87	10	4,256.66	10	4,607.50	10	4,939.05	10		10		10		10		10		10	
1/4	3,902.41	1/4	4,264.15	1/4	4,614.60	1/4	4,945.74	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,909.95	1/2	4,271.63	1/2	4,621.71	1/2	4,952.44	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,917.49	3/4	4,279.11	3/4	4,628.81	3/4	4,959.13	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,925.03	11	4,286.60	11	4,635.91	11	4,965.82	11		11		11		11		11		11	
1/4	3,932.57	1/4	4,294.05	1/4	4,642.99	1/4	4,972.80	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,940.11	1/2	4,301.50	1/2	4,650.06	1/2	4,979.78	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,947.65	3/4	4,308.95	3/4	4,657.13	3/4	4,986.77	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/26/2019 JS
CALCULATED: 11/27/2019 CL
PRINTED: 11/29/2019 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2019



BARGE "DBL 317"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-08 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,551.92	0	3,745.94	0	3,939.26	0	4,119.24	0	4,281.74	0		0		0		0		0	
1/4	3,555.96	1/4	3,749.98	1/4	3,943.18	1/4	4,122.78	1/4	4,285.68	1/4		1/4		1/4		1/4		1/4	
1/2	3,560.00	1/2	3,754.02	1/2	3,947.10	1/2	4,126.33	1/2	4,289.62	1/2		1/2		1/2		1/2		1/2	
3/4	3,564.05	3/4	3,758.06	3/4	3,951.02	3/4	4,129.87	3/4	4,293.55	3/4		3/4		3/4		3/4		3/4	
1	3,568.09	1	3,762.10	1	3,954.95	1	4,133.42	1	4,297.49	1		1		1		1		1	
1/4	3,572.13	1/4	3,766.15	1/4	3,958.84	1/4	4,136.92	1/4	4,301.48	1/4		1/4		1/4		1/4		1/4	
1/2	3,576.17	1/2	3,770.19	1/2	3,962.73	1/2	4,140.41	1/2	4,305.47	1/2		1/2		1/2		1/2		1/2	
3/4	3,580.21	3/4	3,774.23	3/4	3,966.62	3/4	4,143.91	3/4	4,309.46	3/4		3/4		3/4		3/4		3/4	
2	3,584.26	2	3,778.27	2	3,970.52	2	4,147.41	2	4,313.45	2		2		2		2		2	
1/4	3,588.30	1/4	3,782.31	1/4	3,974.38	1/4	4,150.88	1/4	4,317.43	1/4		1/4		1/4		1/4		1/4	
1/2	3,592.34	1/2	3,786.36	1/2	3,978.24	1/2	4,154.34	1/2	4,321.42	1/2		1/2		1/2		1/2		1/2	
3/4	3,596.38	3/4	3,790.40	3/4	3,982.10	3/4	4,157.81	3/4	4,325.41	3/4		3/4		3/4		3/4		3/4	
3	3,600.42	3	3,794.44	3	3,985.97	3	4,161.27	3	4,329.40	3		3		3		3		3	
1/4	3,604.47	1/4	3,798.48	1/4	3,989.79	1/4	4,164.71	1/4	4,333.39	1/4		1/4		1/4		1/4		1/4	
1/2	3,608.51	1/2	3,802.52	1/2	3,993.62	1/2	4,168.15	1/2	4,337.38	1/2		1/2		1/2		1/2		1/2	
3/4	3,612.55	3/4	3,806.57	3/4	3,997.45	3/4	4,171.58	3/4	4,341.37	3/4		3/4		3/4		3/4		3/4	
4	3,616.59	4	3,810.61	4	4,001.28	4	4,175.02	4	4,345.36	4		4		4		4		4	
1/4	3,620.63	1/4	3,814.65	1/4	4,005.08	1/4	4,178.42	1/4	4,349.35	1/4		1/4		1/4		1/4		1/4	
1/2	3,624.68	1/2	3,818.69	1/2	4,008.87	1/2	4,181.82	1/2	4,353.34	1/2		1/2		1/2		1/2		1/2	
3/4	3,628.72	3/4	3,822.73	3/4	4,012.67	3/4	4,185.23	3/4	4,357.32	3/4		3/4		3/4		3/4		3/4	
5	3,632.76	5	3,826.78	5	4,016.46	5	4,188.63	5	4,361.31	5		5		5		5		5	
1/4	3,636.80	1/4	3,830.82	1/4	4,020.23	1/4	4,192.00	1/4	4,365.17	1/4		1/4		1/4		1/4		1/4	
1/2	3,640.84	1/2	3,834.86	1/2	4,023.99	1/2	4,195.37	1/2	4,369.02	1/2		1/2		1/2		1/2		1/2	
3/4	3,644.89	3/4	3,838.90	3/4	4,027.76	3/4	4,198.74	3/4	4,372.88	3/4		3/4		3/4		3/4		3/4	
6	3,648.93	6	3,842.94	6	4,031.52	6	4,202.11	6	4,376.73	6		6		6		6		6	
1/4	3,652.97	1/4	3,846.99	1/4	4,035.26	1/4	4,205.44	1/4	4,379.61	1/4		1/4		1/4		1/4		1/4	
1/2	3,657.01	1/2	3,851.03	1/2	4,038.99	1/2	4,208.78	1/2	4,382.48	1/2		1/2		1/2		1/2		1/2	
3/4	3,661.05	3/4	3,855.07	3/4	4,042.73	3/4	4,212.12	3/4	4,385.36	3/4		3/4		3/4		3/4		3/4	
7	3,665.10	7	3,859.11	7	4,046.46	7	4,215.46	7	4,388.23	7		7		7		7		7	
1/4	3,669.14	1/4	3,863.15	1/4	4,050.17	1/4	4,218.77	1/4	4,389.89	1/4		1/4		1/4		1/4		1/4	
1/2	3,673.18	1/2	3,867.20	1/2	4,053.87	1/2	4,222.08	1/2	4,391.55	1/2		1/2		1/2		1/2		1/2	
3/4	3,677.22	3/4	3,871.24	3/4	4,057.57	3/4	4,225.39	3/4	4,393.20	3/4		3/4		3/4		3/4		3/4	
8	3,681.26	8	3,875.28	8	4,061.27	8	4,228.69	8	4,394.86	8		8		8		8		8	
1/4	3,685.31	1/4	3,879.32	1/4	4,064.94	1/4	4,231.97	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,689.35	1/2	3,883.35	1/2	4,068.61	1/2	4,235.25	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,693.39	3/4	3,887.39	3/4	4,072.28	3/4	4,238.53	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,697.43	9	3,891.42	9	4,075.95	9	4,241.81	9		9		9		9		9		9	
1/4	3,701.47	1/4	3,895.44	1/4	4,079.58	1/4	4,245.06	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,705.52	1/2	3,899.46	1/2	4,083.22	1/2	4,248.30	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,709.56	3/4	3,903.48	3/4	4,086.86	3/4	4,251.55	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,713.60	10	3,907.50	10	4,090.50	10	4,254.79	10		10		10		10		10		10	
1/4	3,717.64	1/4	3,911.49	1/4	4,094.10	1/4	4,258.00	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,721.68	1/2	3,915.47	1/2	4,097.71	1/2	4,261.22	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,725.73	3/4	3,919.46	3/4	4,101.32	3/4	4,264.43	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,729.77	11	3,923.45	11	4,104.93	11	4,267.64	11		11		11		11		11		11	
1/4	3,733.81	1/4	3,927.40	1/4	4,108.51	1/4	4,271.16	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,737.85	1/2	3,931.35	1/2	4,112.08	1/2	4,274.69	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,741.89	3/4	3,935.30	3/4	4,115.66	3/4	4,278.22	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/26/2019 JS
CALCULATED: 11/27/2019 CL
PRINTED: 11/29/2019 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2019



BARGE "DBL 317"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-07 3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,526.50	0	3,719.87	0	3,912.56	0	4,091.90	0	4,253.75	0		0		0		0		0	
1/4	3,530.52	1/4	3,723.90	1/4	3,916.47	1/4	4,095.43	1/4	4,257.68	1/4		1/4		1/4		1/4		1/4	
1/2	3,534.55	1/2	3,727.93	1/2	3,920.38	1/2	4,098.96	1/2	4,261.60	1/2		1/2		1/2		1/2		1/2	
3/4	3,538.58	3/4	3,731.96	3/4	3,924.29	3/4	4,102.49	3/4	4,265.52	3/4		3/4		3/4		3/4		3/4	
1	3,542.61	1	3,735.99	1	3,928.20	1	4,106.02	1	4,269.45	1		1		1		1		1	
1/4	3,546.64	1/4	3,740.02	1/4	3,932.07	1/4	4,109.51	1/4	4,273.42	1/4		1/4		1/4		1/4		1/4	
1/2	3,550.67	1/2	3,744.05	1/2	3,935.95	1/2	4,112.99	1/2	4,277.40	1/2		1/2		1/2		1/2		1/2	
3/4	3,554.70	3/4	3,748.07	3/4	3,939.83	3/4	4,116.48	3/4	4,281.37	3/4		3/4		3/4		3/4		3/4	
2	3,558.73	2	3,752.10	2	3,943.71	2	4,119.96	2	4,285.35	2		2		2		2		2	
1/4	3,562.75	1/4	3,756.13	1/4	3,947.56	1/4	4,123.41	1/4	4,289.32	1/4		1/4		1/4		1/4		1/4	
1/2	3,566.78	1/2	3,760.16	1/2	3,951.41	1/2	4,126.87	1/2	4,293.30	1/2		1/2		1/2		1/2		1/2	
3/4	3,570.81	3/4	3,764.19	3/4	3,955.26	3/4	4,130.32	3/4	4,297.28	3/4		3/4		3/4		3/4		3/4	
3	3,574.84	3	3,768.22	3	3,959.11	3	4,133.77	3	4,301.25	3		3		3		3		3	
1/4	3,578.87	1/4	3,772.25	1/4	3,962.92	1/4	4,137.19	1/4	4,305.23	1/4		1/4		1/4		1/4		1/4	
1/2	3,582.90	1/2	3,776.28	1/2	3,966.74	1/2	4,140.62	1/2	4,309.20	1/2		1/2		1/2		1/2		1/2	
3/4	3,586.93	3/4	3,780.30	3/4	3,970.56	3/4	4,144.04	3/4	4,313.18	3/4		3/4		3/4		3/4		3/4	
4	3,590.96	4	3,784.33	4	3,974.37	4	4,147.46	4	4,317.15	4		4		4		4		4	
1/4	3,594.98	1/4	3,788.36	1/4	3,978.15	1/4	4,150.85	1/4	4,321.13	1/4		1/4		1/4		1/4		1/4	
1/2	3,599.01	1/2	3,792.39	1/2	3,981.94	1/2	4,154.24	1/2	4,325.11	1/2		1/2		1/2		1/2		1/2	
3/4	3,603.04	3/4	3,796.42	3/4	3,985.72	3/4	4,157.63	3/4	4,329.08	3/4		3/4		3/4		3/4		3/4	
5	3,607.07	5	3,800.45	5	3,989.50	5	4,161.02	5	4,333.06	5		5		5		5		5	
1/4	3,611.10	1/4	3,804.48	1/4	3,993.25	1/4	4,164.37	1/4	4,336.90	1/4		1/4		1/4		1/4		1/4	
1/2	3,615.13	1/2	3,808.50	1/2	3,997.00	1/2	4,167.73	1/2	4,340.74	1/2		1/2		1/2		1/2		1/2	
3/4	3,619.16	3/4	3,812.53	3/4	4,000.75	3/4	4,171.09	3/4	4,344.58	3/4		3/4		3/4		3/4		3/4	
6	3,623.18	6	3,816.56	6	4,004.51	6	4,174.44	6	4,348.42	6		6		6		6		6	
1/4	3,627.21	1/4	3,820.59	1/4	4,008.23	1/4	4,177.77	1/4	4,351.28	1/4		1/4		1/4		1/4		1/4	
1/2	3,631.24	1/2	3,824.62	1/2	4,011.95	1/2	4,181.09	1/2	4,354.14	1/2		1/2		1/2		1/2		1/2	
3/4	3,635.27	3/4	3,828.65	3/4	4,015.67	3/4	4,184.42	3/4	4,357.00	3/4		3/4		3/4		3/4		3/4	
7	3,639.30	7	3,832.68	7	4,019.39	7	4,187.74	7	4,359.87	7		7		7		7		7	
1/4	3,643.33	1/4	3,836.71	1/4	4,023.08	1/4	4,191.04	1/4	4,361.51	1/4		1/4		1/4		1/4		1/4	
1/2	3,647.36	1/2	3,840.73	1/2	4,026.77	1/2	4,194.33	1/2	4,363.15	1/2		1/2		1/2		1/2		1/2	
3/4	3,651.39	3/4	3,844.76	3/4	4,030.46	3/4	4,197.63	3/4	4,364.79	3/4		3/4		3/4		3/4		3/4	
8	3,655.41	8	3,848.79	8	4,034.15	8	4,200.92	8	4,366.43	8		8		8		8		8	
1/4	3,659.44	1/4	3,852.82	1/4	4,037.80	1/4	4,204.19	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,663.47	1/2	3,856.84	1/2	4,041.46	1/2	4,207.45	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,667.50	3/4	3,860.86	3/4	4,045.11	3/4	4,210.72	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,671.53	9	3,864.89	9	4,048.77	9	4,213.98	9		9		9		9		9		9	
1/4	3,675.56	1/4	3,868.89	1/4	4,052.39	1/4	4,217.21	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,679.59	1/2	3,872.90	1/2	4,056.02	1/2	4,220.45	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,683.62	3/4	3,876.90	3/4	4,059.64	3/4	4,223.68	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,687.64	10	3,880.91	10	4,063.26	10	4,226.91	10		10		10		10		10		10	
1/4	3,691.67	1/4	3,884.88	1/4	4,066.86	1/4	4,230.11	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,695.70	1/2	3,888.85	1/2	4,070.45	1/2	4,233.31	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,699.73	3/4	3,892.83	3/4	4,074.05	3/4	4,236.50	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,703.76	11	3,896.80	11	4,077.64	11	4,239.70	11		11		11		11		11		11	
1/4	3,707.79	1/4	3,900.74	1/4	4,081.21	1/4	4,243.22	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,711.82	1/2	3,904.68	1/2	4,084.77	1/2	4,246.73	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,715.84	3/4	3,908.62	3/4	4,088.33	3/4	4,250.24	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/26/2019 JS
CALCULATED: 11/27/2019 CL
PRINTED: 11/29/2019 SW

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2019