



BARGE "DBL 318"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 PORT	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8
1 STBD	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-3/8	- 00-3/8
2 PORT	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/4
2 STBD	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-1/4
3 PORT	- 00-5/8	00-5/8	- 01-1/8	01-1/8	- 01-3/4	01-3/4	- 02-1/4	02-1/4	- 02-7/8	02-7/8	- 03-1/2	03-1/2
3 STBD	- 00-5/8	00-5/8	- 01-1/8	01-1/8	- 01-3/4	01-3/4	- 02-1/4	02-1/4	- 02-7/8	02-7/8	- 03-1/2	03-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 PORT IS - 00-1/8"
 FOR A MEASURED INNAGE GAUGE OF 4'-00" ON 1 PORT, THE TRIM CORRECTED INNAGE IS 3'-11 7/8"

LENGTH BETWEEN DRAFT MARKS: 253'-00"

February 26, 2020

**PRECISION MEASUREMENT
& ANALYSIS, INC.**

P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "DBL 318"

1 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-08-3/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,621.59	0	3,984.56	0	4,346.85	0	4,695.69	0	5,026.20	0		0		0		0		0	
1/4	3,629.15	1/4	3,992.12	1/4	4,354.29	1/4	4,702.75	1/4	5,033.61	1/4		1/4		1/4		1/4		1/4	
1/2	3,636.71	1/2	3,999.69	1/2	4,361.73	1/2	4,709.81	1/2	5,041.02	1/2		1/2		1/2		1/2		1/2	
3/4	3,644.28	3/4	4,007.25	3/4	4,369.17	3/4	4,716.87	3/4	5,048.43	3/4		3/4		3/4		3/4		3/4	
1	3,651.84	1	4,014.81	1	4,376.61	1	4,723.93	1	5,055.84	1		1		1		1		1	
1/4	3,659.40	1/4	4,022.37	1/4	4,384.02	1/4	4,730.93	1/4	5,063.31	1/4		1/4		1/4		1/4		1/4	
1/2	3,666.96	1/2	4,029.93	1/2	4,391.44	1/2	4,737.93	1/2	5,070.77	1/2		1/2		1/2		1/2		1/2	
3/4	3,674.52	3/4	4,037.50	3/4	4,398.85	3/4	4,744.93	3/4	5,078.24	3/4		3/4		3/4		3/4		3/4	
2	3,682.09	2	4,045.06	2	4,406.26	2	4,751.94	2	5,085.70	2		2		2		2		2	
1/4	3,689.65	1/4	4,052.62	1/4	4,413.64	1/4	4,758.90	1/4	5,093.16	1/4		1/4		1/4		1/4		1/4	
1/2	3,697.21	1/2	4,060.18	1/2	4,421.02	1/2	4,765.87	1/2	5,100.63	1/2		1/2		1/2		1/2		1/2	
3/4	3,704.77	3/4	4,067.74	3/4	4,428.40	3/4	4,772.84	3/4	5,108.09	3/4		3/4		3/4		3/4		3/4	
3	3,712.33	3	4,075.31	3	4,435.78	3	4,779.80	3	5,115.55	3		3		3		3		3	
1/4	3,719.90	1/4	4,082.87	1/4	4,443.13	1/4	4,786.74	1/4	5,123.02	1/4		1/4		1/4		1/4		1/4	
1/2	3,727.46	1/2	4,090.43	1/2	4,450.48	1/2	4,793.68	1/2	5,130.48	1/2		1/2		1/2		1/2		1/2	
3/4	3,735.02	3/4	4,097.99	3/4	4,457.83	3/4	4,800.62	3/4	5,137.94	3/4		3/4		3/4		3/4		3/4	
4	3,742.58	4	4,105.55	4	4,465.17	4	4,807.55	4	5,145.41	4		4		4		4		4	
1/4	3,750.14	1/4	4,113.11	1/4	4,472.49	1/4	4,814.46	1/4	5,152.87	1/4		1/4		1/4		1/4		1/4	
1/2	3,757.71	1/2	4,120.68	1/2	4,479.80	1/2	4,821.36	1/2	5,160.33	1/2		1/2		1/2		1/2		1/2	
3/4	3,765.27	3/4	4,128.24	3/4	4,487.11	3/4	4,828.26	3/4	5,167.80	3/4		3/4		3/4		3/4		3/4	
5	3,772.83	5	4,135.80	5	4,494.43	5	4,835.17	5	5,175.26	5		5		5		5		5	
1/4	3,780.39	1/4	4,143.36	1/4	4,501.71	1/4	4,842.04	1/4	5,182.59	1/4		1/4		1/4		1/4		1/4	
1/2	3,787.95	1/2	4,150.92	1/2	4,508.99	1/2	4,848.91	1/2	5,189.91	1/2		1/2		1/2		1/2		1/2	
3/4	3,795.51	3/4	4,158.49	3/4	4,516.28	3/4	4,855.78	3/4	5,197.24	3/4		3/4		3/4		3/4		3/4	
6	3,803.08	6	4,166.05	6	4,523.56	6	4,862.65	6	5,204.57	6		6		6		6		6	
1/4	3,810.64	1/4	4,173.61	1/4	4,530.81	1/4	4,869.49	1/4	5,210.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,818.20	1/2	4,181.17	1/2	4,538.07	1/2	4,876.32	1/2	5,217.25	1/2		1/2		1/2		1/2		1/2	
3/4	3,825.76	3/4	4,188.73	3/4	4,545.32	3/4	4,883.16	3/4	5,223.59	3/4		3/4		3/4		3/4		3/4	
7	3,833.32	7	4,196.30	7	4,552.57	7	4,890.00	7	5,229.93	7		7		7		7		7	
1/4	3,840.89	1/4	4,203.86	1/4	4,559.79	1/4	4,896.81	1/4	5,235.05	1/4		1/4		1/4		1/4		1/4	
1/2	3,848.45	1/2	4,211.42	1/2	4,567.01	1/2	4,903.62	1/2	5,240.18	1/2		1/2		1/2		1/2		1/2	
3/4	3,856.01	3/4	4,218.98	3/4	4,574.23	3/4	4,910.43	3/4	5,245.30	3/4		3/4		3/4		3/4		3/4	
8	3,863.57	8	4,226.54	8	4,581.45	8	4,917.24	8	5,250.43	8		8		8		8		8	
1/4	3,871.13	1/4	4,234.10	1/4	4,588.63	1/4	4,924.02	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,878.70	1/2	4,241.66	1/2	4,595.82	1/2	4,930.79	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,886.26	3/4	4,249.22	3/4	4,603.01	3/4	4,937.57	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,893.82	9	4,256.78	9	4,610.19	9	4,944.35	9		9		9		9		9		9	
1/4	3,901.38	1/4	4,264.32	1/4	4,617.35	1/4	4,951.10	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,908.94	1/2	4,271.86	1/2	4,624.50	1/2	4,957.85	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,916.51	3/4	4,279.40	3/4	4,631.66	3/4	4,964.59	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,924.07	10	4,286.93	10	4,638.81	10	4,971.34	10		10		10		10		10		10	
1/4	3,931.63	1/4	4,294.44	1/4	4,645.93	1/4	4,978.05	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,939.19	1/2	4,301.95	1/2	4,653.06	1/2	4,984.77	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,946.75	3/4	4,309.45	3/4	4,660.18	3/4	4,991.48	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,954.31	11	4,316.96	11	4,667.31	11	4,998.19	11		11		11		11		11		11	
1/4	3,961.88	1/4	4,324.43	1/4	4,674.40	1/4	5,005.20	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,969.44	1/2	4,331.90	1/2	4,681.50	1/2	5,012.20	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,977.00	3/4	4,339.38	3/4	4,688.59	3/4	5,019.20	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/26/2020 JS
CALCULATED: 02/27/2020 CL
PRINTED: 02/28/2020 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "DBL 318"

1 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-08-1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,616.03	0	3,978.66	0	4,340.59	0	4,689.09	0	5,019.28	0		0		0		0		0	
1/4	3,623.59	1/4	3,986.21	1/4	4,348.02	1/4	4,696.14	1/4	5,026.68	1/4		1/4		1/4		1/4		1/4	
1/2	3,631.14	1/2	3,993.77	1/2	4,355.46	1/2	4,703.20	1/2	5,034.09	1/2		1/2		1/2		1/2		1/2	
3/4	3,638.70	3/4	4,001.32	3/4	4,362.89	3/4	4,710.25	3/4	5,041.49	3/4		3/4		3/4		3/4		3/4	
1	3,646.25	1	4,008.88	1	4,370.33	1	4,717.31	1	5,048.90	1		1		1		1		1	
1/4	3,653.81	1/4	4,016.43	1/4	4,377.73	1/4	4,724.30	1/4	5,056.35	1/4		1/4		1/4		1/4		1/4	
1/2	3,661.36	1/2	4,023.99	1/2	4,385.14	1/2	4,731.30	1/2	5,063.81	1/2		1/2		1/2		1/2		1/2	
3/4	3,668.92	3/4	4,031.54	3/4	4,392.54	3/4	4,738.29	3/4	5,071.27	3/4		3/4		3/4		3/4		3/4	
2	3,676.47	2	4,039.10	2	4,399.94	2	4,745.29	2	5,078.72	2		2		2		2		2	
1/4	3,684.03	1/4	4,046.65	1/4	4,407.32	1/4	4,752.25	1/4	5,086.18	1/4		1/4		1/4		1/4		1/4	
1/2	3,691.58	1/2	4,054.21	1/2	4,414.69	1/2	4,759.21	1/2	5,093.63	1/2		1/2		1/2		1/2		1/2	
3/4	3,699.14	3/4	4,061.76	3/4	4,422.07	3/4	4,766.17	3/4	5,101.09	3/4		3/4		3/4		3/4		3/4	
3	3,706.69	3	4,069.32	3	4,429.44	3	4,773.13	3	5,108.55	3		3		3		3		3	
1/4	3,714.25	1/4	4,076.87	1/4	4,436.78	1/4	4,780.06	1/4	5,116.00	1/4		1/4		1/4		1/4		1/4	
1/2	3,721.80	1/2	4,084.43	1/2	4,444.12	1/2	4,786.99	1/2	5,123.46	1/2		1/2		1/2		1/2		1/2	
3/4	3,729.35	3/4	4,091.98	3/4	4,451.46	3/4	4,793.92	3/4	5,130.92	3/4		3/4		3/4		3/4		3/4	
4	3,736.91	4	4,099.54	4	4,458.80	4	4,800.85	4	5,138.37	4		4		4		4		4	
1/4	3,744.46	1/4	4,107.09	1/4	4,466.11	1/4	4,807.74	1/4	5,145.83	1/4		1/4		1/4		1/4		1/4	
1/2	3,752.02	1/2	4,114.64	1/2	4,473.41	1/2	4,814.64	1/2	5,153.29	1/2		1/2		1/2		1/2		1/2	
3/4	3,759.57	3/4	4,122.20	3/4	4,480.72	3/4	4,821.54	3/4	5,160.74	3/4		3/4		3/4		3/4		3/4	
5	3,767.13	5	4,129.75	5	4,488.03	5	4,828.44	5	5,168.20	5		5		5		5		5	
1/4	3,774.68	1/4	4,137.31	1/4	4,495.30	1/4	4,835.30	1/4	5,175.52	1/4		1/4		1/4		1/4		1/4	
1/2	3,782.24	1/2	4,144.86	1/2	4,502.58	1/2	4,842.16	1/2	5,182.83	1/2		1/2		1/2		1/2		1/2	
3/4	3,789.79	3/4	4,152.42	3/4	4,509.86	3/4	4,849.02	3/4	5,190.15	3/4		3/4		3/4		3/4		3/4	
6	3,797.35	6	4,159.97	6	4,517.13	6	4,855.89	6	5,197.47	6		6		6		6		6	
1/4	3,804.90	1/4	4,167.53	1/4	4,524.38	1/4	4,862.72	1/4	5,203.80	1/4		1/4		1/4		1/4		1/4	
1/2	3,812.46	1/2	4,175.08	1/2	4,531.62	1/2	4,869.55	1/2	5,210.13	1/2		1/2		1/2		1/2		1/2	
3/4	3,820.01	3/4	4,182.64	3/4	4,538.87	3/4	4,876.38	3/4	5,216.47	3/4		3/4		3/4		3/4		3/4	
7	3,827.57	7	4,190.19	7	4,546.12	7	4,883.22	7	5,222.80	7		7		7		7		7	
1/4	3,835.12	1/4	4,197.75	1/4	4,553.33	1/4	4,890.02	1/4	5,227.92	1/4		1/4		1/4		1/4		1/4	
1/2	3,842.68	1/2	4,205.30	1/2	4,560.54	1/2	4,896.82	1/2	5,233.04	1/2		1/2		1/2		1/2		1/2	
3/4	3,850.23	3/4	4,212.86	3/4	4,567.75	3/4	4,903.62	3/4	5,238.16	3/4		3/4		3/4		3/4		3/4	
8	3,857.78	8	4,220.41	8	4,574.96	8	4,910.42	8	5,243.28	8		8		8		8		8	
1/4	3,865.34	1/4	4,227.96	1/4	4,582.14	1/4	4,917.20	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,872.89	1/2	4,235.51	1/2	4,589.32	1/2	4,923.97	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,880.45	3/4	4,243.06	3/4	4,596.50	3/4	4,930.74	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,888.00	9	4,250.61	9	4,603.68	9	4,937.51	9		9		9		9		9		9	
1/4	3,895.56	1/4	4,258.14	1/4	4,610.83	1/4	4,944.25	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,903.11	1/2	4,265.67	1/2	4,617.97	1/2	4,950.99	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,910.67	3/4	4,273.20	3/4	4,625.12	3/4	4,957.73	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,918.22	10	4,280.73	10	4,632.27	10	4,964.47	10		10		10		10		10		10	
1/4	3,925.78	1/4	4,288.23	1/4	4,639.39	1/4	4,971.18	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,933.33	1/2	4,295.73	1/2	4,646.51	1/2	4,977.89	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,940.89	3/4	4,303.23	3/4	4,653.62	3/4	4,984.60	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,948.44	11	4,310.73	11	4,660.74	11	4,991.30	11		11		11		11		11		11	
1/4	3,956.00	1/4	4,318.20	1/4	4,667.83	1/4	4,998.30	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,963.55	1/2	4,325.66	1/2	4,674.92	1/2	5,005.29	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,971.11	3/4	4,333.13	3/4	4,682.00	3/4	5,012.29	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/26/2020 JS
CALCULATED: 02/27/2020 CL
PRINTED: 02/28/2020 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "DBL 318"

2 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-08-1/2"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,600.29	0	3,961.13	0	4,321.28	0	4,668.06	0	4,996.62	0		0		0		0		0	
1/4	3,607.81	1/4	3,968.65	1/4	4,328.67	1/4	4,675.08	1/4	5,003.99	1/4		1/4		1/4		1/4		1/4	
1/2	3,615.33	1/2	3,976.17	1/2	4,336.07	1/2	4,682.10	1/2	5,011.35	1/2		1/2		1/2		1/2		1/2	
3/4	3,622.84	3/4	3,983.68	3/4	4,343.47	3/4	4,689.12	3/4	5,018.72	3/4		3/4		3/4		3/4		3/4	
1	3,630.36	1	3,991.20	1	4,350.87	1	4,696.14	1	5,026.09	1		1		1		1		1	
1/4	3,637.88	1/4	3,998.72	1/4	4,358.24	1/4	4,703.10	1/4	5,033.51	1/4		1/4		1/4		1/4		1/4	
1/2	3,645.40	1/2	4,006.24	1/2	4,365.60	1/2	4,710.06	1/2	5,040.93	1/2		1/2		1/2		1/2		1/2	
3/4	3,652.91	3/4	4,013.75	3/4	4,372.97	3/4	4,717.02	3/4	5,048.35	3/4		3/4		3/4		3/4		3/4	
2	3,660.43	2	4,021.27	2	4,380.34	2	4,723.98	2	5,055.77	2		2		2		2		2	
1/4	3,667.95	1/4	4,028.79	1/4	4,387.68	1/4	4,730.90	1/4	5,063.19	1/4		1/4		1/4		1/4		1/4	
1/2	3,675.47	1/2	4,036.31	1/2	4,395.01	1/2	4,737.83	1/2	5,070.60	1/2		1/2		1/2		1/2		1/2	
3/4	3,682.98	3/4	4,043.82	3/4	4,402.35	3/4	4,744.76	3/4	5,078.02	3/4		3/4		3/4		3/4		3/4	
3	3,690.50	3	4,051.34	3	4,409.69	3	4,751.68	3	5,085.44	3		3		3		3		3	
1/4	3,698.02	1/4	4,058.86	1/4	4,416.99	1/4	4,758.58	1/4	5,092.86	1/4		1/4		1/4		1/4		1/4	
1/2	3,705.54	1/2	4,066.38	1/2	4,424.30	1/2	4,765.47	1/2	5,100.28	1/2		1/2		1/2		1/2		1/2	
3/4	3,713.05	3/4	4,073.89	3/4	4,431.60	3/4	4,772.37	3/4	5,107.70	3/4		3/4		3/4		3/4		3/4	
4	3,720.57	4	4,081.41	4	4,438.91	4	4,779.27	4	5,115.12	4		4		4		4		4	
1/4	3,728.09	1/4	4,088.93	1/4	4,446.18	1/4	4,786.13	1/4	5,122.54	1/4		1/4		1/4		1/4		1/4	
1/2	3,735.61	1/2	4,096.45	1/2	4,453.45	1/2	4,792.99	1/2	5,129.96	1/2		1/2		1/2		1/2		1/2	
3/4	3,743.12	3/4	4,103.96	3/4	4,460.72	3/4	4,799.86	3/4	5,137.38	3/4		3/4		3/4		3/4		3/4	
5	3,750.64	5	4,111.48	5	4,467.99	5	4,806.72	5	5,144.80	5		5		5		5		5	
1/4	3,758.16	1/4	4,119.00	1/4	4,475.23	1/4	4,813.55	1/4	5,152.08	1/4		1/4		1/4		1/4		1/4	
1/2	3,765.68	1/2	4,126.52	1/2	4,482.47	1/2	4,820.38	1/2	5,159.36	1/2		1/2		1/2		1/2		1/2	
3/4	3,773.19	3/4	4,134.03	3/4	4,489.71	3/4	4,827.21	3/4	5,166.65	3/4		3/4		3/4		3/4		3/4	
6	3,780.71	6	4,141.55	6	4,496.95	6	4,834.03	6	5,173.93	6		6		6		6		6	
1/4	3,788.23	1/4	4,149.07	1/4	4,504.16	1/4	4,840.83	1/4	5,180.23	1/4		1/4		1/4		1/4		1/4	
1/2	3,795.75	1/2	4,156.59	1/2	4,511.37	1/2	4,847.63	1/2	5,186.54	1/2		1/2		1/2		1/2		1/2	
3/4	3,803.26	3/4	4,164.10	3/4	4,518.58	3/4	4,854.43	3/4	5,192.84	3/4		3/4		3/4		3/4		3/4	
7	3,810.78	7	4,171.62	7	4,525.79	7	4,861.23	7	5,199.14	7		7		7		7		7	
1/4	3,818.30	1/4	4,179.14	1/4	4,532.97	1/4	4,868.00	1/4	5,204.24	1/4		1/4		1/4		1/4		1/4	
1/2	3,825.82	1/2	4,186.66	1/2	4,540.14	1/2	4,874.77	1/2	5,209.33	1/2		1/2		1/2		1/2		1/2	
3/4	3,833.33	3/4	4,194.17	3/4	4,547.32	3/4	4,881.53	3/4	5,214.42	3/4		3/4		3/4		3/4		3/4	
8	3,840.85	8	4,201.69	8	4,554.50	8	4,888.30	8	5,219.52	8		8		8		8		8	
1/4	3,848.37	1/4	4,209.20	1/4	4,561.64	1/4	4,895.04	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,855.89	1/2	4,216.72	1/2	4,568.78	1/2	4,901.78	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,863.40	3/4	4,224.23	3/4	4,575.93	3/4	4,908.52	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,870.92	9	4,231.74	9	4,583.07	9	4,915.26	9		9		9		9		9		9	
1/4	3,878.44	1/4	4,239.23	1/4	4,590.18	1/4	4,921.96	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,885.96	1/2	4,246.73	1/2	4,597.29	1/2	4,928.67	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,893.47	3/4	4,254.22	3/4	4,604.41	3/4	4,935.38	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,900.99	10	4,261.72	10	4,611.52	10	4,942.09	10		10		10		10		10		10	
1/4	3,908.51	1/4	4,269.18	1/4	4,618.60	1/4	4,948.76	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,916.03	1/2	4,276.64	1/2	4,625.69	1/2	4,955.43	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,923.54	3/4	4,284.10	3/4	4,632.77	3/4	4,962.11	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,931.06	11	4,291.56	11	4,639.85	11	4,968.78	11		11		11		11		11		11	
1/4	3,938.58	1/4	4,298.99	1/4	4,646.90	1/4	4,975.74	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,946.10	1/2	4,306.42	1/2	4,653.96	1/2	4,982.70	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,953.61	3/4	4,313.85	3/4	4,661.01	3/4	4,989.66	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/26/2020 JS
CALCULATED: 02/27/2020 CL
PRINTED: 02/28/2020 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "DBL 318"

2 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-08"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,591.27	0	3,952.97	0	4,313.97	0	4,661.58	0	4,990.93	0		0		0		0		0	
1/4	3,598.80	1/4	3,960.50	1/4	4,321.38	1/4	4,668.62	1/4	4,998.32	1/4		1/4		1/4		1/4		1/4	
1/2	3,606.34	1/2	3,968.04	1/2	4,328.80	1/2	4,675.65	1/2	5,005.70	1/2		1/2		1/2		1/2		1/2	
3/4	3,613.87	3/4	3,975.57	3/4	4,336.21	3/4	4,682.69	3/4	5,013.09	3/4		3/4		3/4		3/4		3/4	
1	3,621.41	1	3,983.11	1	4,343.63	1	4,689.73	1	5,020.47	1		1		1		1		1	
1/4	3,628.94	1/4	3,990.64	1/4	4,351.01	1/4	4,696.70	1/4	5,027.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,636.48	1/2	3,998.18	1/2	4,358.40	1/2	4,703.68	1/2	5,035.35	1/2		1/2		1/2		1/2		1/2	
3/4	3,644.01	3/4	4,005.71	3/4	4,365.78	3/4	4,710.66	3/4	5,042.78	3/4		3/4		3/4		3/4		3/4	
2	3,651.55	2	4,013.25	2	4,373.17	2	4,717.63	2	5,050.22	2		2		2		2		2	
1/4	3,659.08	1/4	4,020.78	1/4	4,380.52	1/4	4,724.58	1/4	5,057.66	1/4		1/4		1/4		1/4		1/4	
1/2	3,666.62	1/2	4,028.32	1/2	4,387.88	1/2	4,731.52	1/2	5,065.09	1/2		1/2		1/2		1/2		1/2	
3/4	3,674.16	3/4	4,035.85	3/4	4,395.23	3/4	4,738.46	3/4	5,072.53	3/4		3/4		3/4		3/4		3/4	
3	3,681.69	3	4,043.39	3	4,402.59	3	4,745.40	3	5,079.97	3		3		3		3		3	
1/4	3,689.23	1/4	4,050.93	1/4	4,409.91	1/4	4,752.32	1/4	5,087.41	1/4		1/4		1/4		1/4		1/4	
1/2	3,696.76	1/2	4,058.46	1/2	4,417.23	1/2	4,759.23	1/2	5,094.84	1/2		1/2		1/2		1/2		1/2	
3/4	3,704.30	3/4	4,066.00	3/4	4,424.55	3/4	4,766.14	3/4	5,102.28	3/4		3/4		3/4		3/4		3/4	
4	3,711.83	4	4,073.53	4	4,431.88	4	4,773.05	4	5,109.72	4		4		4		4		4	
1/4	3,719.37	1/4	4,081.07	1/4	4,439.16	1/4	4,779.93	1/4	5,117.15	1/4		1/4		1/4		1/4		1/4	
1/2	3,726.90	1/2	4,088.60	1/2	4,446.45	1/2	4,786.81	1/2	5,124.59	1/2		1/2		1/2		1/2		1/2	
3/4	3,734.44	3/4	4,096.14	3/4	4,453.74	3/4	4,793.69	3/4	5,132.03	3/4		3/4		3/4		3/4		3/4	
5	3,741.97	5	4,103.67	5	4,461.03	5	4,800.57	5	5,139.47	5		5		5		5		5	
1/4	3,749.51	1/4	4,111.21	1/4	4,468.29	1/4	4,807.42	1/4	5,146.77	1/4		1/4		1/4		1/4		1/4	
1/2	3,757.04	1/2	4,118.74	1/2	4,475.54	1/2	4,814.26	1/2	5,154.06	1/2		1/2		1/2		1/2		1/2	
3/4	3,764.58	3/4	4,126.28	3/4	4,482.80	3/4	4,821.11	3/4	5,161.36	3/4		3/4		3/4		3/4		3/4	
6	3,772.12	6	4,133.81	6	4,490.06	6	4,827.95	6	5,168.66	6		6		6		6		6	
1/4	3,779.65	1/4	4,141.35	1/4	4,497.29	1/4	4,834.77	1/4	5,174.98	1/4		1/4		1/4		1/4		1/4	
1/2	3,787.19	1/2	4,148.89	1/2	4,504.51	1/2	4,841.58	1/2	5,181.30	1/2		1/2		1/2		1/2		1/2	
3/4	3,794.72	3/4	4,156.42	3/4	4,511.74	3/4	4,848.40	3/4	5,187.62	3/4		3/4		3/4		3/4		3/4	
7	3,802.26	7	4,163.96	7	4,518.97	7	4,855.21	7	5,193.93	7		7		7		7		7	
1/4	3,809.79	1/4	4,171.49	1/4	4,526.16	1/4	4,862.00	1/4	5,199.04	1/4		1/4		1/4		1/4		1/4	
1/2	3,817.33	1/2	4,179.03	1/2	4,533.36	1/2	4,868.78	1/2	5,204.15	1/2		1/2		1/2		1/2		1/2	
3/4	3,824.86	3/4	4,186.56	3/4	4,540.55	3/4	4,875.57	3/4	5,209.25	3/4		3/4		3/4		3/4		3/4	
8	3,832.40	8	4,194.10	8	4,547.74	8	4,882.35	8	5,214.36	8		8		8		8		8	
1/4	3,839.93	1/4	4,201.63	1/4	4,554.90	1/4	4,889.11	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,847.47	1/2	4,209.16	1/2	4,562.06	1/2	4,895.86	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,855.01	3/4	4,216.69	3/4	4,569.23	3/4	4,902.62	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,862.54	9	4,224.22	9	4,576.39	9	4,909.37	9		9		9		9		9		9	
1/4	3,870.08	1/4	4,231.73	1/4	4,583.51	1/4	4,916.10	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,877.61	1/2	4,239.24	1/2	4,590.64	1/2	4,922.82	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,885.15	3/4	4,246.75	3/4	4,597.77	3/4	4,929.54	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,892.68	10	4,254.26	10	4,604.90	10	4,936.27	10		10		10		10		10		10	
1/4	3,900.22	1/4	4,261.74	1/4	4,612.00	1/4	4,942.96	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,907.75	1/2	4,269.22	1/2	4,619.10	1/2	4,949.65	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,915.29	3/4	4,276.70	3/4	4,626.20	3/4	4,956.34	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,922.82	11	4,284.18	11	4,633.30	11	4,963.03	11		11		11		11		11		11	
1/4	3,930.36	1/4	4,291.63	1/4	4,640.37	1/4	4,970.00	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,937.89	1/2	4,299.07	1/2	4,647.44	1/2	4,976.98	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,945.43	3/4	4,306.52	3/4	4,654.51	3/4	4,983.96	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/26/2020 JS
CALCULATED: 02/27/2020 CL
PRINTED: 02/28/2020 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "DBL 318"

3 PORT INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-08 1/4"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,553.79	0	3,747.90	0	3,941.33	0	4,121.41	0	4,283.99	0		0		0		0		0	
1/4	3,557.83	1/4	3,751.95	1/4	3,945.25	1/4	4,124.95	1/4	4,287.93	1/4		1/4		1/4		1/4		1/4	
1/2	3,561.88	1/2	3,755.99	1/2	3,949.18	1/2	4,128.50	1/2	4,291.87	1/2		1/2		1/2		1/2		1/2	
3/4	3,565.92	3/4	3,760.04	3/4	3,953.10	3/4	4,132.05	3/4	4,295.81	3/4		3/4		3/4		3/4		3/4	
1	3,569.96	1	3,764.08	1	3,957.03	1	4,135.59	1	4,299.75	1		1		1		1		1	
1/4	3,574.01	1/4	3,768.12	1/4	3,960.92	1/4	4,139.09	1/4	4,303.74	1/4		1/4		1/4		1/4		1/4	
1/2	3,578.05	1/2	3,772.17	1/2	3,964.81	1/2	4,142.59	1/2	4,307.73	1/2		1/2		1/2		1/2		1/2	
3/4	3,582.10	3/4	3,776.21	3/4	3,968.71	3/4	4,146.09	3/4	4,311.72	3/4		3/4		3/4		3/4		3/4	
2	3,586.14	2	3,780.26	2	3,972.60	2	4,149.59	2	4,315.71	2		2		2		2		2	
1/4	3,590.18	1/4	3,784.30	1/4	3,976.47	1/4	4,153.06	1/4	4,319.70	1/4		1/4		1/4		1/4		1/4	
1/2	3,594.23	1/2	3,788.35	1/2	3,980.33	1/2	4,156.53	1/2	4,323.70	1/2		1/2		1/2		1/2		1/2	
3/4	3,598.27	3/4	3,792.39	3/4	3,984.20	3/4	4,159.99	3/4	4,327.69	3/4		3/4		3/4		3/4		3/4	
3	3,602.32	3	3,796.43	3	3,988.06	3	4,163.46	3	4,331.68	3		3		3		3		3	
1/4	3,606.36	1/4	3,800.48	1/4	3,991.89	1/4	4,166.90	1/4	4,335.67	1/4		1/4		1/4		1/4		1/4	
1/2	3,610.40	1/2	3,804.52	1/2	3,995.72	1/2	4,170.34	1/2	4,339.66	1/2		1/2		1/2		1/2		1/2	
3/4	3,614.45	3/4	3,808.57	3/4	3,999.56	3/4	4,173.78	3/4	4,343.65	3/4		3/4		3/4		3/4		3/4	
4	3,618.49	4	3,812.61	4	4,003.39	4	4,177.21	4	4,347.64	4		4		4		4		4	
1/4	3,622.54	1/4	3,816.65	1/4	4,007.18	1/4	4,180.62	1/4	4,351.63	1/4		1/4		1/4		1/4		1/4	
1/2	3,626.58	1/2	3,820.70	1/2	4,010.98	1/2	4,184.02	1/2	4,355.62	1/2		1/2		1/2		1/2		1/2	
3/4	3,630.63	3/4	3,824.74	3/4	4,014.78	3/4	4,187.43	3/4	4,359.61	3/4		3/4		3/4		3/4		3/4	
5	3,634.67	5	3,828.79	5	4,018.58	5	4,190.83	5	4,363.61	5		5		5		5		5	
1/4	3,638.71	1/4	3,832.83	1/4	4,022.34	1/4	4,194.20	1/4	4,367.46	1/4		1/4		1/4		1/4		1/4	
1/2	3,642.76	1/2	3,836.87	1/2	4,026.11	1/2	4,197.57	1/2	4,371.32	1/2		1/2		1/2		1/2		1/2	
3/4	3,646.80	3/4	3,840.92	3/4	4,029.88	3/4	4,200.94	3/4	4,375.18	3/4		3/4		3/4		3/4		3/4	
6	3,650.85	6	3,844.96	6	4,033.64	6	4,204.32	6	4,379.03	6		6		6		6		6	
1/4	3,654.89	1/4	3,849.01	1/4	4,037.38	1/4	4,207.66	1/4	4,381.91	1/4		1/4		1/4		1/4		1/4	
1/2	3,658.93	1/2	3,853.05	1/2	4,041.12	1/2	4,211.00	1/2	4,384.79	1/2		1/2		1/2		1/2		1/2	
3/4	3,662.98	3/4	3,857.09	3/4	4,044.86	3/4	4,214.34	3/4	4,387.66	3/4		3/4		3/4		3/4		3/4	
7	3,667.02	7	3,861.14	7	4,048.59	7	4,217.68	7	4,390.54	7		7		7		7		7	
1/4	3,671.07	1/4	3,865.18	1/4	4,052.30	1/4	4,220.99	1/4	4,392.20	1/4		1/4		1/4		1/4		1/4	
1/2	3,675.11	1/2	3,869.23	1/2	4,056.00	1/2	4,224.30	1/2	4,393.86	1/2		1/2		1/2		1/2		1/2	
3/4	3,679.15	3/4	3,873.27	3/4	4,059.70	3/4	4,227.61	3/4	4,395.51	3/4		3/4		3/4		3/4		3/4	
8	3,683.20	8	3,877.32	8	4,063.41	8	4,230.92	8	4,397.17	8		8		8		8		8	
1/4	3,687.24	1/4	3,881.35	1/4	4,067.08	1/4	4,234.20	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,691.29	1/2	3,885.39	1/2	4,070.75	1/2	4,237.48	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,695.33	3/4	3,889.43	3/4	4,074.42	3/4	4,240.76	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,699.37	9	3,893.47	9	4,078.09	9	4,244.04	9		9		9		9		9		9	
1/4	3,703.42	1/4	3,897.49	1/4	4,081.73	1/4	4,247.29	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,707.46	1/2	3,901.51	1/2	4,085.37	1/2	4,250.54	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,711.51	3/4	3,905.53	3/4	4,089.01	3/4	4,253.78	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,715.55	10	3,909.55	10	4,092.65	10	4,257.03	10		10		10		10		10		10	
1/4	3,719.60	1/4	3,913.54	1/4	4,096.26	1/4	4,260.24	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,723.64	1/2	3,917.53	1/2	4,099.87	1/2	4,263.46	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,727.68	3/4	3,921.52	3/4	4,103.48	3/4	4,266.67	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,731.73	11	3,925.51	11	4,107.09	11	4,269.88	11		11		11		11		11		11	
1/4	3,735.77	1/4	3,929.46	1/4	4,110.67	1/4	4,273.41	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,739.82	1/2	3,933.42	1/2	4,114.25	1/2	4,276.94	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,743.86	3/4	3,937.37	3/4	4,117.83	3/4	4,280.47	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/26/2020 JS
CALCULATED: 02/27/2020 CL
PRINTED: 02/28/2020 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "DBL 318"

3 STBD INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 15'-08"

IN	10 FT.	IN	11 FT.	IN	12 FT.	IN	13 FT.	IN	14 FT.	IN	15 FT.	IN	16 FT.	IN	17 FT.	IN	18 FT.	IN	19 FT.
0	3,527.34	0	3,720.77	0	3,913.50	0	4,092.88	0	4,254.77	0		0		0		0		0	
1/4	3,531.37	1/4	3,724.80	1/4	3,917.41	1/4	4,096.41	1/4	4,258.70	1/4		1/4		1/4		1/4		1/4	
1/2	3,535.40	1/2	3,728.83	1/2	3,921.32	1/2	4,099.94	1/2	4,262.62	1/2		1/2		1/2		1/2		1/2	
3/4	3,539.43	3/4	3,732.86	3/4	3,925.23	3/4	4,103.48	3/4	4,266.54	3/4		3/4		3/4		3/4		3/4	
1	3,543.46	1	3,736.89	1	3,929.14	1	4,107.01	1	4,270.47	1		1		1		1		1	
1/4	3,547.49	1/4	3,740.92	1/4	3,933.02	1/4	4,110.49	1/4	4,274.45	1/4		1/4		1/4		1/4		1/4	
1/2	3,551.52	1/2	3,744.95	1/2	3,936.90	1/2	4,113.98	1/2	4,278.42	1/2		1/2		1/2		1/2		1/2	
3/4	3,555.55	3/4	3,748.97	3/4	3,940.78	3/4	4,117.46	3/4	4,282.40	3/4		3/4		3/4		3/4		3/4	
2	3,559.58	2	3,753.00	2	3,944.66	2	4,120.95	2	4,286.38	2		2		2		2		2	
1/4	3,563.61	1/4	3,757.03	1/4	3,948.51	1/4	4,124.40	1/4	4,290.35	1/4		1/4		1/4		1/4		1/4	
1/2	3,567.64	1/2	3,761.06	1/2	3,952.36	1/2	4,127.86	1/2	4,294.33	1/2		1/2		1/2		1/2		1/2	
3/4	3,571.67	3/4	3,765.09	3/4	3,956.21	3/4	4,131.31	3/4	4,298.31	3/4		3/4		3/4		3/4		3/4	
3	3,575.70	3	3,769.12	3	3,960.06	3	4,134.76	3	4,302.28	3		3		3		3		3	
1/4	3,579.73	1/4	3,773.15	1/4	3,963.87	1/4	4,138.19	1/4	4,306.26	1/4		1/4		1/4		1/4		1/4	
1/2	3,583.76	1/2	3,777.18	1/2	3,967.69	1/2	4,141.61	1/2	4,310.24	1/2		1/2		1/2		1/2		1/2	
3/4	3,587.79	3/4	3,781.21	3/4	3,971.51	3/4	4,145.03	3/4	4,314.21	3/4		3/4		3/4		3/4		3/4	
4	3,591.82	4	3,785.24	4	3,975.32	4	4,148.46	4	4,318.19	4		4		4		4		4	
1/4	3,595.85	1/4	3,789.27	1/4	3,979.11	1/4	4,151.85	1/4	4,322.17	1/4		1/4		1/4		1/4		1/4	
1/2	3,599.88	1/2	3,793.30	1/2	3,982.89	1/2	4,155.24	1/2	4,326.14	1/2		1/2		1/2		1/2		1/2	
3/4	3,603.91	3/4	3,797.33	3/4	3,986.67	3/4	4,158.63	3/4	4,330.12	3/4		3/4		3/4		3/4		3/4	
5	3,607.94	5	3,801.36	5	3,990.46	5	4,162.02	5	4,334.09	5		5		5		5		5	
1/4	3,611.97	1/4	3,805.39	1/4	3,994.21	1/4	4,165.37	1/4	4,337.94	1/4		1/4		1/4		1/4		1/4	
1/2	3,615.99	1/2	3,809.42	1/2	3,997.96	1/2	4,168.73	1/2	4,341.78	1/2		1/2		1/2		1/2		1/2	
3/4	3,620.02	3/4	3,813.45	3/4	4,001.71	3/4	4,172.09	3/4	4,345.62	3/4		3/4		3/4		3/4		3/4	
6	3,624.05	6	3,817.48	6	4,005.47	6	4,175.44	6	4,349.46	6		6		6		6		6	
1/4	3,628.08	1/4	3,821.51	1/4	4,009.19	1/4	4,178.77	1/4	4,352.32	1/4		1/4		1/4		1/4		1/4	
1/2	3,632.11	1/2	3,825.54	1/2	4,012.91	1/2	4,182.09	1/2	4,355.19	1/2		1/2		1/2		1/2		1/2	
3/4	3,636.14	3/4	3,829.57	3/4	4,016.63	3/4	4,185.42	3/4	4,358.05	3/4		3/4		3/4		3/4		3/4	
7	3,640.17	7	3,833.60	7	4,020.36	7	4,188.74	7	4,360.91	7		7		7		7		7	
1/4	3,644.20	1/4	3,837.63	1/4	4,024.05	1/4	4,192.04	1/4	4,362.55	1/4		1/4		1/4		1/4		1/4	
1/2	3,648.23	1/2	3,841.66	1/2	4,027.74	1/2	4,195.34	1/2	4,364.20	1/2		1/2		1/2		1/2		1/2	
3/4	3,652.26	3/4	3,845.69	3/4	4,031.43	3/4	4,198.63	3/4	4,365.84	3/4		3/4		3/4		3/4		3/4	
8	3,656.29	8	3,849.72	8	4,035.11	8	4,201.93	8	4,367.48	8		8		8		8		8	
1/4	3,660.32	1/4	3,853.74	1/4	4,038.77	1/4	4,205.19	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,664.35	1/2	3,857.77	1/2	4,042.43	1/2	4,208.46	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,668.38	3/4	3,861.79	3/4	4,046.08	3/4	4,211.73	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,672.41	9	3,865.81	9	4,049.74	9	4,214.99	9		9		9		9		9		9	
1/4	3,676.44	1/4	3,869.82	1/4	4,053.36	1/4	4,218.23	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,680.47	1/2	3,873.83	1/2	4,056.99	1/2	4,221.46	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,684.50	3/4	3,877.83	3/4	4,060.61	3/4	4,224.69	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,688.53	10	3,881.84	10	4,064.24	10	4,227.92	10		10		10		10		10		10	
1/4	3,692.56	1/4	3,885.81	1/4	4,067.83	1/4	4,231.12	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,696.59	1/2	3,889.79	1/2	4,071.43	1/2	4,234.32	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,700.62	3/4	3,893.76	3/4	4,075.02	3/4	4,237.52	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,704.65	11	3,897.74	11	4,078.62	11	4,240.72	11		11		11		11		11		11	
1/4	3,708.68	1/4	3,901.68	1/4	4,082.18	1/4	4,244.23	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,712.71	1/2	3,905.62	1/2	4,085.75	1/2	4,247.75	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,716.74	3/4	3,909.56	3/4	4,089.31	3/4	4,251.26	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 02/26/2020 JS
CALCULATED: 02/27/2020 CL
PRINTED: 02/28/2020 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 02/2020

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>