



BARGE "DBL 82"

INNAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	00-0/8	- 00-0/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-1/4	- 00-1/4
2 CENTER	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8	- 00-0/8	00-0/8
3 CENTER	- 00-1/8	00-1/8	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-3/8	00-3/8	- 00-1/2	00-1/2

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"
 AFT DRAFT = 4'-00"
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS -00-1/8"
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 3'-11 7/8"

LENGTH BETWEEN DRAFT MARKS: 166'-00"

February 16, 2011

PRECISION MEASUREMENT
& ANALYSIS, INC.

P.O. Box 2092
 Pearland, Texas 77588

<http://www.pmacorp.net>



BARGE "DBL 82"

1 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-08"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
0	2,544.53	0	2,768.07	0	2,991.78	0	3,215.49	0	3,436.70	0		0		0		0		0	
1/4	2,549.17	1/4	2,772.73	1/4	2,996.44	1/4	3,220.15	1/4	3,437.86	1/4		1/4		1/4		1/4		1/4	
1/2	2,553.82	1/2	2,777.39	1/2	3,001.10	1/2	3,224.81	1/2	3,439.03	1/2		1/2		1/2		1/2		1/2	
3/4	2,558.47	3/4	2,782.05	3/4	3,005.76	3/4	3,229.47	3/4	3,440.19	3/4		3/4		3/4		3/4		3/4	
1	2,563.12	1	2,786.71	1	3,010.42	1	3,234.13	1		1		1		1		1		1	
1/4	2,567.77	1/4	2,791.37	1/4	3,015.08	1/4	3,238.79	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,572.42	1/2	2,796.03	1/2	3,019.74	1/2	3,243.45	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,577.07	3/4	2,800.69	3/4	3,024.40	3/4	3,248.11	3/4		3/4		3/4		3/4		3/4		3/4	
2	2,581.72	2	2,805.36	2	3,029.06	2	3,252.77	2		2		2		2		2		2	
1/4	2,586.37	1/4	2,810.02	1/4	3,033.72	1/4	3,257.44	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,591.01	1/2	2,814.68	1/2	3,038.39	1/2	3,262.10	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,595.66	3/4	2,819.34	3/4	3,043.05	3/4	3,266.76	3/4		3/4		3/4		3/4		3/4		3/4	
3	2,600.31	3	2,824.00	3	3,047.71	3	3,271.43	3		3		3		3		3		3	
1/4	2,604.97	1/4	2,828.66	1/4	3,052.37	1/4	3,276.09	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,609.62	1/2	2,833.32	1/2	3,057.03	1/2	3,280.75	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,614.28	3/4	2,837.98	3/4	3,061.69	3/4	3,285.41	3/4		3/4		3/4		3/4		3/4		3/4	
4	2,618.93	4	2,842.64	4	3,066.35	4	3,290.08	4		4		4		4		4		4	
1/4	2,623.59	1/4	2,847.30	1/4	3,071.01	1/4	3,294.74	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,628.25	1/2	2,851.96	1/2	3,075.67	1/2	3,299.40	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,632.91	3/4	2,856.62	3/4	3,080.33	3/4	3,304.07	3/4		3/4		3/4		3/4		3/4		3/4	
5	2,637.57	5	2,861.28	5	3,084.99	5	3,308.73	5		5		5		5		5		5	
1/4	2,642.23	1/4	2,865.94	1/4	3,089.65	1/4	3,313.39	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,646.89	1/2	2,870.60	1/2	3,094.31	1/2	3,318.05	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,651.56	3/4	2,875.26	3/4	3,098.97	3/4	3,322.71	3/4		3/4		3/4		3/4		3/4		3/4	
6	2,656.22	6	2,879.92	6	3,103.63	6	3,327.37	6		6		6		6		6		6	
1/4	2,660.88	1/4	2,884.59	1/4	3,108.29	1/4	3,332.02	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,665.54	1/2	2,889.25	1/2	3,112.95	1/2	3,336.66	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,670.20	3/4	2,893.91	3/4	3,117.62	3/4	3,341.31	3/4		3/4		3/4		3/4		3/4		3/4	
7	2,674.86	7	2,898.57	7	3,122.28	7	3,345.96	7		7		7		7		7		7	
1/4	2,679.52	1/4	2,903.23	1/4	3,126.94	1/4	3,350.62	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,684.18	1/2	2,907.89	1/2	3,131.60	1/2	3,355.28	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,688.84	3/4	2,912.55	3/4	3,136.26	3/4	3,360.91	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,693.50	8	2,917.21	8	3,140.92	8	3,365.89	8		8		8		8		8		8	
1/4	2,698.16	1/4	2,921.87	1/4	3,145.58	1/4	3,371.19	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,702.82	1/2	2,926.53	1/2	3,150.24	1/2	3,376.50	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,707.48	3/4	2,931.19	3/4	3,154.90	3/4	3,381.80	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,712.14	9	2,935.85	9	3,159.56	9	3,387.11	9		9		9		9		9		9	
1/4	2,716.80	1/4	2,940.51	1/4	3,164.22	1/4	3,392.35	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,721.46	1/2	2,945.17	1/2	3,168.88	1/2	3,397.59	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,726.12	3/4	2,949.83	3/4	3,173.54	3/4	3,402.83	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,730.79	10	2,954.49	10	3,178.20	10	3,408.08	10		10		10		10		10		10	
1/4	2,735.45	1/4	2,959.15	1/4	3,182.86	1/4	3,412.55	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,740.11	1/2	2,963.82	1/2	3,187.52	1/2	3,417.03	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,744.77	3/4	2,968.48	3/4	3,192.18	3/4	3,421.50	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,749.43	11	2,973.14	11	3,196.85	11	3,425.98	11		11		11		11		11		11	
1/4	2,754.09	1/4	2,977.80	1/4	3,201.51	1/4	3,428.66	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,758.75	1/2	2,982.46	1/2	3,206.17	1/2	3,431.34	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,763.41	3/4	2,987.12	3/4	3,210.83	3/4	3,434.02	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/26/2008 CL - SW
CALCULATED: 11/27/2008 CL
REPRINTED: 02/16/2011 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2008

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "DBL 82"

2 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-07 3/4"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
0	2,852.06	0	3,139.75	0	3,427.44	0	3,715.12	0	3,985.83	0		0		0		0		0	
1/4	2,858.05	1/4	3,145.74	1/4	3,433.43	1/4	3,721.12	1/4	3,987.12	1/4		1/4		1/4		1/4		1/4	
1/2	2,864.05	1/2	3,151.74	1/2	3,439.42	1/2	3,727.11	1/2	3,988.42	1/2		1/2		1/2		1/2		1/2	
3/4	2,870.04	3/4	3,157.73	3/4	3,445.42	3/4	3,733.11	3/4	3,989.72	3/4		3/4		3/4		3/4		3/4	
1	2,876.03	1	3,163.72	1	3,451.41	1	3,739.10	1		1		1		1		1		1	
1/4	2,882.03	1/4	3,169.72	1/4	3,457.40	1/4	3,745.09	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,888.02	1/2	3,175.71	1/2	3,463.40	1/2	3,751.09	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,894.02	3/4	3,181.70	3/4	3,469.39	3/4	3,757.08	3/4		3/4		3/4		3/4		3/4		3/4	
2	2,900.01	2	3,187.70	2	3,475.38	2	3,763.07	2		2		2		2		2		2	
1/4	2,906.00	1/4	3,193.69	1/4	3,481.38	1/4	3,769.07	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,912.00	1/2	3,199.68	1/2	3,487.37	1/2	3,775.06	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,917.99	3/4	3,205.68	3/4	3,493.37	3/4	3,781.05	3/4		3/4		3/4		3/4		3/4		3/4	
3	2,923.98	3	3,211.67	3	3,499.36	3	3,787.05	3		3		3		3		3		3	
1/4	2,929.98	1/4	3,217.66	1/4	3,505.35	1/4	3,793.04	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,935.97	1/2	3,223.66	1/2	3,511.35	1/2	3,799.03	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,941.96	3/4	3,229.65	3/4	3,517.34	3/4	3,805.03	3/4		3/4		3/4		3/4		3/4		3/4	
4	2,947.96	4	3,235.64	4	3,523.33	4	3,811.02	4		4		4		4		4		4	
1/4	2,953.95	1/4	3,241.64	1/4	3,529.33	1/4	3,817.01	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,959.94	1/2	3,247.63	1/2	3,535.32	1/2	3,823.00	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,965.94	3/4	3,253.63	3/4	3,541.31	3/4	3,828.99	3/4		3/4		3/4		3/4		3/4		3/4	
5	2,971.93	5	3,259.62	5	3,547.31	5	3,834.98	5		5		5		5		5		5	
1/4	2,977.92	1/4	3,265.61	1/4	3,553.30	1/4	3,840.97	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,983.92	1/2	3,271.61	1/2	3,559.29	1/2	3,846.96	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,989.91	3/4	3,277.60	3/4	3,565.29	3/4	3,852.95	3/4		3/4		3/4		3/4		3/4		3/4	
6	2,995.90	6	3,283.59	6	3,571.28	6	3,858.94	6		6		6		6		6		6	
1/4	3,001.90	1/4	3,289.59	1/4	3,577.27	1/4	3,864.92	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,007.89	1/2	3,295.58	1/2	3,583.27	1/2	3,870.90	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,013.89	3/4	3,301.57	3/4	3,589.26	3/4	3,876.88	3/4		3/4		3/4		3/4		3/4		3/4	
7	3,019.88	7	3,307.57	7	3,595.25	7	3,882.85	7		7		7		7		7		7	
1/4	3,025.87	1/4	3,313.56	1/4	3,601.25	1/4	3,888.81	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,031.87	1/2	3,319.55	1/2	3,607.24	1/2	3,894.77	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,037.86	3/4	3,325.55	3/4	3,613.24	3/4	3,900.73	3/4		3/4		3/4		3/4		3/4		3/4	
8	3,043.85	8	3,331.54	8	3,619.23	8	3,906.69	8		8		8		8		8		8	
1/4	3,049.85	1/4	3,337.53	1/4	3,625.22	1/4	3,912.62	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,055.84	1/2	3,343.53	1/2	3,631.22	1/2	3,918.54	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,061.83	3/4	3,349.52	3/4	3,637.21	3/4	3,924.47	3/4		3/4		3/4		3/4		3/4		3/4	
9	3,067.83	9	3,355.51	9	3,643.20	9	3,930.40	9		9		9		9		9		9	
1/4	3,073.82	1/4	3,361.51	1/4	3,649.20	1/4	3,936.26	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,079.81	1/2	3,367.50	1/2	3,655.19	1/2	3,942.12	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,085.81	3/4	3,373.50	3/4	3,661.18	3/4	3,947.98	3/4		3/4		3/4		3/4		3/4		3/4	
10	3,091.80	10	3,379.49	10	3,667.18	10	3,953.83	10		10		10		10		10		10	
1/4	3,097.79	1/4	3,385.48	1/4	3,673.17	1/4	3,958.84	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,103.79	1/2	3,391.48	1/2	3,679.16	1/2	3,963.84	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,109.78	3/4	3,397.47	3/4	3,685.16	3/4	3,968.84	3/4		3/4		3/4		3/4		3/4		3/4	
11	3,115.77	11	3,403.46	11	3,691.15	11	3,973.84	11		11		11		11		11		11	
1/4	3,121.77	1/4	3,409.46	1/4	3,697.14	1/4	3,976.83	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	3,127.76	1/2	3,415.45	1/2	3,703.14	1/2	3,979.83	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	3,133.76	3/4	3,421.44	3/4	3,709.13	3/4	3,982.83	3/4		3/4		3/4		3/4		3/4		3/4	

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

STRAPPED: 11/26/2008 CL - SW
CALCULATED: 11/27/2008 CL
REPRINTED: 02/16/2011 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2008

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>



BARGE "DBL 82"

3 CENTER INNAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 16'-07 1/2"

10 FT.		11 FT.		12 FT.		13 FT.		14 FT.		15 FT.		16 FT.		17 FT.		18 FT.		19 FT.	
0	2,526.54	0	2,780.82	0	3,035.10	0	3,289.37	0	3,528.66	0		0		0		0		0	
1/4	2,531.84	1/4	2,786.12	1/4	3,040.39	1/4	3,294.67	1/4	3,529.81	1/4		1/4		1/4		1/4		1/4	
1/2	2,537.14	1/2	2,791.41	1/2	3,045.69	1/2	3,299.97	1/2	3,530.95	1/2		1/2		1/2		1/2		1/2	
3/4	2,542.44	3/4	2,796.71	3/4	3,050.99	3/4	3,305.26	3/4	3,532.10	3/4		3/4		3/4		3/4		3/4	
1	2,547.73	1	2,802.01	1	3,056.28	1	3,310.56	1		1		1		1		1		1	
1/4	2,553.03	1/4	2,807.31	1/4	3,061.58	1/4	3,315.86	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,558.33	1/2	2,812.60	1/2	3,066.88	1/2	3,321.15	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,563.63	3/4	2,817.90	3/4	3,072.18	3/4	3,326.45	3/4		3/4		3/4		3/4		3/4		3/4	
2	2,568.92	2	2,823.20	2	3,077.47	2	3,331.75	2		2		2		2		2		2	
1/4	2,574.22	1/4	2,828.50	1/4	3,082.77	1/4	3,337.05	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,579.52	1/2	2,833.79	1/2	3,088.07	1/2	3,342.34	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,584.82	3/4	2,839.09	3/4	3,093.37	3/4	3,347.64	3/4		3/4		3/4		3/4		3/4		3/4	
3	2,590.11	3	2,844.39	3	3,098.66	3	3,352.94	3		3		3		3		3		3	
1/4	2,595.41	1/4	2,849.69	1/4	3,103.96	1/4	3,358.24	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,600.71	1/2	2,854.98	1/2	3,109.26	1/2	3,363.53	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,606.01	3/4	2,860.28	3/4	3,114.56	3/4	3,368.83	3/4		3/4		3/4		3/4		3/4		3/4	
4	2,611.30	4	2,865.58	4	3,119.85	4	3,374.13	4		4		4		4		4		4	
1/4	2,616.60	1/4	2,870.88	1/4	3,125.15	1/4	3,379.43	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,621.90	1/2	2,876.17	1/2	3,130.45	1/2	3,384.73	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,627.20	3/4	2,881.47	3/4	3,135.75	3/4	3,390.03	3/4		3/4		3/4		3/4		3/4		3/4	
5	2,632.49	5	2,886.77	5	3,141.04	5	3,395.33	5		5		5		5		5		5	
1/4	2,637.79	1/4	2,892.07	1/4	3,146.34	1/4	3,400.63	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,643.09	1/2	2,897.36	1/2	3,151.64	1/2	3,405.92	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,648.39	3/4	2,902.66	3/4	3,156.94	3/4	3,411.22	3/4		3/4		3/4		3/4		3/4		3/4	
6	2,653.68	6	2,907.96	6	3,162.23	6	3,416.51	6		6		6		6		6		6	
1/4	2,658.98	1/4	2,913.26	1/4	3,167.53	1/4	3,421.80	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,664.28	1/2	2,918.55	1/2	3,172.83	1/2	3,427.08	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,669.57	3/4	2,923.85	3/4	3,178.13	3/4	3,432.36	3/4		3/4		3/4		3/4		3/4		3/4	
7	2,674.87	7	2,929.15	7	3,183.42	7	3,437.65	7		7		7		7		7		7	
1/4	2,680.17	1/4	2,934.44	1/4	3,188.72	1/4	3,442.91	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,685.47	1/2	2,939.74	1/2	3,194.02	1/2	3,448.18	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,690.76	3/4	2,945.04	3/4	3,199.31	3/4	3,453.44	3/4		3/4		3/4		3/4		3/4		3/4	
8	2,696.06	8	2,950.34	8	3,204.61	8	3,458.71	8		8		8		8		8		8	
1/4	2,701.36	1/4	2,955.63	1/4	3,209.91	1/4	3,463.95	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,706.66	1/2	2,960.93	1/2	3,215.21	1/2	3,469.19	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,711.95	3/4	2,966.23	3/4	3,220.50	3/4	3,474.43	3/4		3/4		3/4		3/4		3/4		3/4	
9	2,717.25	9	2,971.53	9	3,225.80	9	3,479.67	9		9		9		9		9		9	
1/4	2,722.55	1/4	2,976.82	1/4	3,231.10	1/4	3,484.85	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,727.85	1/2	2,982.12	1/2	3,236.40	1/2	3,490.03	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,733.14	3/4	2,987.42	3/4	3,241.69	3/4	3,495.21	3/4		3/4		3/4		3/4		3/4		3/4	
10	2,738.44	10	2,992.72	10	3,246.99	10	3,500.38	10		10		10		10		10		10	
1/4	2,743.74	1/4	2,998.01	1/4	3,252.29	1/4	3,504.80	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,749.04	1/2	3,003.31	1/2	3,257.59	1/2	3,509.22	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,754.33	3/4	3,008.61	3/4	3,262.88	3/4	3,513.64	3/4		3/4		3/4		3/4		3/4		3/4	
11	2,759.63	11	3,013.91	11	3,268.18	11	3,518.06	11		11		11		11		11		11	
1/4	2,764.93	1/4	3,019.20	1/4	3,273.48	1/4	3,520.71	1/4		1/4		1/4		1/4		1/4		1/4	
1/2	2,770.23	1/2	3,024.50	1/2	3,278.78	1/2	3,523.36	1/2		1/2		1/2		1/2		1/2		1/2	
3/4	2,775.52	3/4	3,029.80	3/4	3,284.07	3/4	3,526.01	3/4		3/4		3/4		3/4		3/4		3/4	

STRAPPED: 11/26/2008 CL - SW
CALCULATED: 11/27/2008 CL
REPRINTED: 02/16/2011 SW

CANCELS AND SUPERCEDES
ALL PRIOR TO 11/2008

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT
& ANALYSIS, INC.
P.O. Box 2092
Pearland, Texas 77588
<http://www.pmacorp.net>