



# BARGE "DBL 87"

## ULLAGE TRIM TABLE

	1 FT.		2 FT.		3 FT.		4 FT.		5 FT.		6 FT.	
	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>	<u>BOW</u>	<u>STERN</u>
1 CENTER	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8
2 CENTER	00-1/8	- 00-1/8	00-1/4	- 00-1/4	00-3/8	- 00-3/8	00-1/2	- 00-1/2	00-5/8	- 00-5/8	00-3/4	- 00-3/4
3 CENTER	- 00-1/8	00-1/8	- 00-1/4	00-1/4	- 00-1/4	00-1/4	- 00-3/8	00-3/8	- 00-1/2	00-1/2	- 00-5/8	00-5/8

(ALL MEASUREMENTS ABOVE ARE IN INCHES)

EXAMPLE FOR ABOVE TRIM CORRECTIONS:

FWD. DRAFT = 2'-00"  
 AFT DRAFT = 4'-00"  
 DIFF. = 2'-00" (DOWN BY STERN)

THE CORRECTION FOR 2'-00" TRIM DOWN BY STERN FOR 1 CENTER IS 00-1/4"  
 FOR A MEASURED ULLAGE GAUGE OF 4'-00" ON 1 CENTER, THE TRIM CORRECTED ULLAGE IS 4'-00 1/4'

LENGTH BETWEEN DRAFT MARKS: 160'-00"

May 3, 2010

PRECISION MEASUREMENT  
& ANALYSIS, INC.

P.O. Box 2092  
Pearland, Texas 77588

<http://www.pmacorp.net>















# BARGE "DBL 87"

## SL TANK ULLAGE TABLE

CAPACITIES GIVEN IN BARRELS OF 42 U.S. GALLONS

GAUGE HEIGHT 5'-03 1/2"

IN	0 FT.	IN	1 FT.	IN	2 FT.	IN	3 FT.	IN	4 FT.	IN	5 FT.	IN	6 FT.	IN	7 FT.	IN	8 FT.	IN	9 FT.
0		0		0		0	803	0	452	0	102	0		0		0		0	
1/4		1/4		1/4		1/4	796	1/4	445	1/4	94	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	788	1/2	438	1/2	87	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4	781	3/4	431	3/4	80	3/4		3/4		3/4		3/4	
1		1		1		1	774	1	423	1	73	1		1		1		1	
1/4		1/4		1/4		1/4	767	1/4	416	1/4	65	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	759	1/2	409	1/2	58	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4	752	3/4	402	3/4	51	3/4		3/4		3/4		3/4	
2		2		2		2	745	2	394	2	44	2		2		2		2	
1/4		1/4		1/4		1/4	738	1/4	387	1/4	36	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	730	1/2	380	1/2	29	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4	723	3/4	372	3/4	22	3/4		3/4		3/4		3/4	
3		3		3		3	716	3	365	3	15	3		3		3		3	
1/4		1/4		1/4		1/4	709	1/4	358	1/4	7	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	701	1/2	351	1/2	0	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4	694	3/4	343	3/4		3/4		3/4		3/4		3/4	
4		4		4	1,036	4	687	4	336	4		4		4		4		4	
1/4		1/4		1/4		1/4	1,029	1/4	679	1/4	329	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	1,021	1/2	672	1/2	321	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4	1,014	3/4	665	3/4	314	3/4		3/4		3/4		3/4	
5		5		5	1,007	5	657	5	307	5		5		5		5		5	
1/4		1/4		1/4		1/4	1,000	1/4	650	1/4	299	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	992	1/2	643	1/2	292	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4	985	3/4	635	3/4	285	3/4		3/4		3/4		3/4	
6		6		6	978	6	628	6	277	6		6		6		6		6	
1/4		1/4		1/4		1/4	971	1/4	621	1/4	270	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	963	1/2	613	1/2	263	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4	956	3/4	606	3/4	255	3/4		3/4		3/4		3/4	
7		7		7	949	7	599	7	248	7		7		7		7		7	
1/4		1/4		1/4		1/4	941	1/4	591	1/4	241	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	934	1/2	584	1/2	233	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4	927	3/4	577	3/4	226	3/4		3/4		3/4		3/4	
8		8		8	920	8	569	8	219	8		8		8		8		8	
1/4		1/4		1/4		1/4	912	1/4	562	1/4	211	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	905	1/2	555	1/2	204	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4	898	3/4	547	3/4	197	3/4		3/4		3/4		3/4	
9		9		9	891	9	540	9	189	9		9		9		9		9	
1/4		1/4		1/4		1/4	883	1/4	533	1/4	182	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	876	1/2	525	1/2	175	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4	869	3/4	518	3/4	167	3/4		3/4		3/4		3/4	
10		10		10	861	10	510	10	160	10		10		10		10		10	
1/4		1/4		1/4		1/4	854	1/4	503	1/4	152	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	846	1/2	496	1/2	145	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4	839	3/4	489	3/4	138	3/4		3/4		3/4		3/4	
11		11		11	832	11	481	11	131	11		11		11		11		11	
1/4		1/4		1/4		1/4	825	1/4	474	1/4	123	1/4		1/4		1/4		1/4	
1/2		1/2		1/2		1/2	817	1/2	467	1/2	116	1/2		1/2		1/2		1/2	
3/4		3/4		3/4		3/4	810	3/4	460	3/4	109	3/4		3/4		3/4		3/4	

BARGE STRAPPED AND COMPUTED IN ACCORDANCE WITH MPMS CHAPTER 2.7.  
 CAPACITY TABLE ONLY APPLIES WHEN BARGE IS ON EVEN KEEL.  
 CAPACITY TABLE EXTENDS TO EXTREME HEIGHT OF TANK.  
 CAPACITY TABLE ONLY APPLIES TO INNAGE GAUGES TAKEN WITH "HERMETIC" CLOSED GAUGING DEVICE.

CERTIFIED CHART FOR THE ABOVE NAMED TANK ONLY.

PRECISION MEASUREMENT  
 & ANALYSIS, INC.  
 P.O. Box 2092  
 Pearland, Texas 77588  
<http://www.pmacorp.net>

